


INSTALLATION INSTRUCTIONS

SPKPL-SNS-PIRLUX-WH



A WARNING

These products may represent a possible shock or fire hazard if improperly installed or attached in any way. Products should be installed in accordance with these instructions, current electrical codes, and/or the current National Electric Code (NEC).




SAFETY INFORMATION

- Read all installation instructions before beginning; if not qualified, do not attempt installation. Contact a qualified electrician.
- To reduce the risk of fire, electric shock, or injury to persons, pay close attention to this manual and stay within its guidelines when using this product. Save these instructions for future use.
- This product is suitable for indoor use in dry locations only.
- Do not submerge in liquids nor use the product in the vicinity of standing water or other liquids, or where water can accumulate.
- Do not use if there is any damage to the product; inspect periodically.
- · Do not install in tanks or enclosures of any kinds.
- This product utilizes Bluetooth® 2.4Ghz wireless technology.
- This unit is not intended to be used in conjuction with a any dimmer.
- WARNING KEEP BATTERIES OUT OF REACH OF CHILDREN! Batteries are not a toy!
- The remote control included utilizes a CR123 battery; If swallowed, it could cause severe injury or death in just 2 hours due to chemical burns and potential perforation of the esophagus. If you suspect your child has swallowed or inserted any battery, immediately seek urgent medical assistance.
- Do not dispose of batteries in fire as they may explode or leak. Please dispose of used batteries immediately and safely. Only replace with the same battery type.
- Examine devices and make sure the battery compartment is correctly secured, e.g. that the screw or other mechanical fastener is tightened. Do not use if compartment is not secure.
- Power may also be supplies by USB 5VDC connection.

INSTALLATION:

- Determine desired location of sensor. Recommended installation height is 5.9-6.89 feet (1.8-2.1 meters). The detection range is 23 feet (7 meters) with a viewing range of 120 degrees. Sensor should have a clear, unobstructed view of area to be monitored.
- 2. Ensure mounting surfaces are clean, dry, smooth, and free of any debris.
- 3. Mount sensor to approrpriate surface using adhesive tape (included).
- 4. Sync sensor with the Spektrum+ Smart App. Press and hold the reset button for 5 seconds until the indicator light begins flashing. The device is now ready to be synced.



USING THE CONTACT SENSOR: The Spektrum+ contact sensor utilizes Bluetooth Wireless Technology and can be accessed via the Spektrum+ Smart Lighting App. It is not intended to be used in conjunction with any dimmer.

DISTANCE OF CONTROL CAPABILITY: 25 meters (approx. 80ft)

RESET THE DEVICE: Press and hold the power button on the device for 5 seconds until the indicator light begins flashing. **USING THE SPEKTRUM+ SMART LIGHTING APP:** Please follow the Spektrum+ Smart Lighting App guide. The Spektrum+ PIR motion & luminance sensor can be used in conjuction with other Spektrum+ smart lighting products to trigger automation features within the app.

FCC Compliance Statement

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- 1. This device may not cause harmful interference, and
- 2. This device must accept any interference received, including interference that may cause undesired operation.

FCC WARNING

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and the receiver.
- Connect the equipment into an outlet different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.