

Date:	Project:
-------	----------

Type:

Comments:

Prepared for:



ALL-IN-ONE LED BACKLIT PANEL V5

CCT & POWER SELECTABLE 0-10V DIMMABLE | 120-347Vac

















damp locations



SPECIFICATIONS

Type IC 0-10V Dimmable Backlit LED Slim Panel Light Separate driver for easy installation Aluminium Casing Beam Angle: 110° Colour Rendering Index: >80 Functioning Temperature: -20°C to 40°C

AVAILABILITY

1ft x 4ft / 2ft x 2ft / 2ft x 4ft 120-347Vac Mounting Kits (Page 2)

→

Note That It is a structure of the structure of t Look for this Same Day Shipping icon below in 'Ordering Information' for products that ship on the same day (orders placed before 3pm) from Montreal, Quebec or Calgary, Alberta



Full IES File Available on Request

ORDERING INFORMATION







1x4 All-In-One LED Panel PL14-VAR-V5

2x2 All-In-One LED Panel PL22-VAR-V5

2x4 All-In-One LED Panel PL24-VAR-V5

CCT SELECTABLE



All-In-One Technology to Easily Adjust Colour Temperature and Wattage on

SEPARATE DRIVER





Driver is removable from the panel to allow for easy installation. Simply wire the driver first without needing to hold up the panel simultaneously. Once the driver is wired, attach the panel and install it.

SERIES	POWER	EQUIVALENT	LUMENS	COLOR	INPUT	DIMENSIONS	PRODUCT ID	MODEL NO.	ORDERING CODE
SERIES	(WATTS)	TO (WATTS)	LOMENS	TEMP	VOLTAGE	DIMENSIONS	THOOGET ID	MODEL NO.	ONDERNING CODE
1FT X 4FT LED PANEL V5	SELECTABLE 35W 30W 25W	64W	4550lms at 35W 130lms/W	SELECTABLE 3500K 4000K 5000K	120-347Vac	1'x 4'x 0.1' (30.3cm x 121.3cm x 3.3cm)	S-FRSWV3	PL14-VAR-V5	PL14-VAR-V5- ⊴ ©
2FT X 2FT LED PANEL V5	SELECTABLE 35W 30W 25W	64W	4550lms at 35W 130lms/W	SELECTABLE 3500K 4000K 5000K	120-347Vac	2' x 2' x 0.1' (60.3cm x 60.3cm x 3.3cm)	S-OY48RM	PL22-VAR-V5	PL22-VAR-V5-
2FT X 4FT LED PANEL V5	SELECTABLE 50W 40W 30W	128W	6500lms at 50W 130lms/W	SELECTABLE 3500K 4000K 5000K	120-347Vac	2' x 4' x 0.1' (60.3cm x 121.3cm x 3.3cm)	S-THAGZ6	PL24-VAR-V5	PL24-VAR-V5-



Date:	Project:
Prepared for:	Туре:
Comments:	



MOUNTING KITS







Recessed Drywall Kit PLxx-AC-RC-V2



Suspension Kit (54")
PL-AC-S-4-V2
(PL-AC-S-2-V2 contains 1 cable less)

SERIES	DETAILS	COMPATIBLE WITH	MODEL NUMBER
SURFACE-MOUNT KIT (ALL-IN-ONE LED PANELS V4)	1X4 KIT: 12" X 48" X 3"	1 X 4 ALL-IN-ONE LED PANELS	PL14-AC-M-V4
	2X2 KIT: 24" X 24" X 3"	2 X 2 ALL-IN-ONE LED PANELS	PL22-AC-M-V4
	2X4 KIT: 24" X 48" X 3"	2 X 4 ALL-IN-ONE LED PANELS	PL24-AC-M-V4
RECESSED DRYWALL KIT (ALL LED PANELS)	1X4 KIT: 12" X 48" X 1"	1 X 4 LED PANELS	PL14-AC-RC-V2
	2X2 KIT: 24" X 24" X 1"	2 X 2 LED PANELS	PL22-AC-RC-V2 🚕
	2X4 KIT: 24" X 48" X 1"	2 X 4 LED PANELS	PL24-AC-RC-V2 🕮
54" SUSPENSION KIT V2 (ALL LED PANELS)	2-POINT SUSPENSION (54" MAXIMUM)	1X4, 2 X 2 LED PANELS	PL-AC-S-2-V2
	3-POINT SUSPENSION (ONE IN MIDDLE) (54" MAXIMUM)	2 X 4 LED PANELS	PL-AC-S-4-V2



Date:	Project:
Prepared for:	Туре:
Comments:	



COMPATIBLE DIMMERS

List of approved dimmers for PLxx-VAR-V5

The dimmers below have been tested and found to function properly with the specified product. Absence of a dimmer model on this list does not indicate incompatibility with the product, it means that they have not been tested.

DIMMER	FLICKER	NOTES
Arani DM10-720W-SL-3-WH-V1	No	-
Lutron DVTV-WH 0-10V Dimmer	No	Use with Lutron PP-DV
Lutron DVSTV 0-10V Dimmer	No	Use with Lutron PP-DV
Lutron DVSCTV 0-10V Dimmer	No	-
Lutron DVSCSTV 0-10V Dimmer	No	-
Lutron MS-Z101-Wh 0-10V Dimmer	No	-
Leviton IP710-LFZ 0-10V Dimmer	No	-
Leviton IP710-DLX 0-10V Dimmer	No	-
Cooper SF10P 0-10V Dimmer	No	-
Cooper DF10P 0-10V Dimmer	No	-
Legrand RH4FBL3PW 0-10V Dimmer	No	-
Legrand WS4FBL3PW 0-10V Dimmer	No	-
Legrand H4FBL3PTC 0-10V Dimmer	No	-

GET YOUR PRODUCTS FAST Arani is committed to same day shipping on orders before 3pm*.

Date:	Project:

Type:

Comments:

Prepared for:



NOTABLE ARANI PROJECTS AND IDEAS











