


Date:	Project:
Prepared for:	Type:
Comments:	

TUNABLE WHITE LED GIMBAL POT LIGHT

ADJUSTABLE HEAD | CCT VARIABLE



Toggle Switch
CCT Variable



3" Gimbal Trim (White)
with White Gimbal Engine
SL3G-TR-WH-V2 + SLG-VAR-R-WH-V2



4" Gimbal Trim (White)
with White Gimbal Engine
SL4G-TR-WH-V2 + SLG-VAR-R-WH-V2

SPECIFICATIONS

- Adjustable Gimbal Head (8/12 Pitch = ~35°)
- IC Rated
- Toggle Switch CCT Variable
- Easily Adjust Between Color Temperatures: 3000K / 4000K / 5000K
- 3" or 4" Trim (Packaged Separately)
- Slim Profile
- Robust Aluminium Casing & Trim
- High Quality Mounting Springs
- Includes Junction Box for Electrical Connections
- Input Voltage: 110-130V AC
- Color Rendering Index: >80
- Operating Temperature: -20°C to 40°C



3" Gimbal Trim (Black)
with Black Gimbal Engine
SL3G-TR-BK-V2 + SLG-VAR-R-BK-V2



4" Gimbal Trim (Black)
with Black Gimbal Engine
SL4G-TR-BK-V2 + SLG-VAR-R-BK-V2

AVAILABILITY

- ENGINE
- 8W
- CCT VARIABLE
- WHITE / BRUSHED NICKEL / BLACK
- TRIM
- 3" / 4"
- WHITE / BRUSHED NICKEL / BLACK



3" Gimbal Trim (Brushed Nickel)
with Brushed Nickel Gimbal Engine
SL3G-TR-BN-V2 + SLG-VAR-R-BN-V2



4" Gimbal Trim (Brushed Nickel)
with Brushed Nickel Gimbal Engine
SL4G-TR-BN-V2 + SLG-VAR-R-BN-V2

*This icon indicates a STOCK item: Look for this Same Day Shipping icon below in 'Ordering Information' for products that ship out on the same day (orders must be placed before 3pm EST)

Full ies File Available on Request

ORDERING INFORMATION

The fixture consists of 1 gimbal engine and 1 trim. The trims must be ordered separately.



Side View

Recommended minimum ceiling clearance: 2.5"




Gimbal Engine (White)

SLG-VAR-R-WH-V2



Gimbal Engine (Black)


SLG-VAR-R-BK-V2



Gimbal Engine (Brushed Nickel)

SLG-VAR-R-BN-V2

SERIES	POWER (WATTS)	EQUIVALENT TO (WATTS)	LUMENS	COLOR TEMPERATURE	HEAD COLOR	MODEL NUMBER
TUNABLE WHITE GIMBAL SLIM POT LIGHT ENGINE	8W	60W	3000K: 696 4000K: 784 5000K: 708	VARIABLE 3000K 4000K 5000K	WHITE	SLG-VAR-R-WH-V2 
					BRUSHED NICKEL	SLG-VAR-R-BN-V2 
					BLACK	SLG-VAR-R-BK-V2 



3" Gimbal Trims

SL3G-TR-xx-V2



4" Gimbal Trims

SL4G-TR-xx-V2

SERIES	HOLE REQUIRED	DIMENSIONS	TRIM COLOR	MODEL NUMBER
3" GIMBAL SLIM POT LIGHT TRIM	Ø 2 3/4"	Ø 3 1/2"	WHITE	SL3G-TR-WH-V2 
			BLACK	SL3G-TR-BK-V2 
			BRUSHED NICKEL	SL3G-TR-BN-V2 
4" GIMBAL SLIM POT LIGHT TRIM	Ø 2 3/4"	Ø 4 3/4"	WHITE	SL4G-TR-WH-V2 
			BLACK	SL4G-TR-BK-V2 
			BRUSHED NICKEL	SL4G-TR-BN-V2 



DIMMERS LIST

List of approved dimmers for SLx-VAR-R-xx-V2

The dimmers below have been tested and found to function properly with the specified product. Absence of a dimmer model on this list does not indicate incompatibility with the product, it means that they have not been tested:

Dimmer	Flicker
Leviton 6618	No
Leviton RPI06	No
Leviton 6631	No
Leviton 6681-W	No
Leviton IPL-06	No
Leviton 6633	No
Leviton 6674	No
Leviton 6621	No
Lutron SCL-153PH-WH-C	No
Lutron CTCL-153PDH-WH-C	No
Lutron S-603PG	No
Lutron S-600	No
Lutron SLV-600P	No
Lutron D-600W	No
Lutron DV-600PH	No
Cooper RI306P-VW-K2	No
Cooper SI10P	No
Cooper SI061-W-K	No