



**GET YOUR PRODUCTS FAST**  
Arani is committed to same day shipping on orders before 3pm.

Date:

Project:

Prepared for:

Type:

Comments:



**Vapor Tight  
Fixture V4**

## VAPOR TIGHT HIGH BAY V4

120-347Vac | NEMA 4X | NSF



5 Years



Lifetime  
50 000 hours



IP66  
wet location  
rated



### SPECIFICATIONS

NEMA 4X, IK 10, FCC

0-10V Dimmable

IK 10 - Shatter-proof Anti-glare Polycarbonate Lens

Stainless Steel Spring Clips

IP66 - Wet location rated

Beam Angle: 100°

Colour Rendering Index: >80

Functioning Temperature: -25°C to 40°C

### AVAILABILITY

100W/120W/135W/155W selectable

3CCT Tunable: 3500K / 4000K / 5000K

120-347Vac




\*This is a STOCK item:

Look for this Same Day Shipping icon below in 'Ordering Information' for products that ship on the same day (orders placed before 3pm) from Montreal, Quebec or Calgary, Alberta




IES File Available on Request

### ORDERING INFORMATION




### PRODUCT DETAILS



#### UNIFORM LIGHTING

The anti-glare lens provides a uniform light.



#### MAXIMUM ACCESSIBILITY

The days of using a screwdriver to lift the circuit board are over. Simply press on the clips and lift by the handle.



#### VERSATILE WIRING OPTIONS

Knockouts on both sides allow chain-mounting. Unwanted knockouts can be easily sealed with the included accessories.



SERIES	POWER SELECTABLE (WATTS)	LUMENS	INPUT VOLTAGE	3CCT TUNABLE	PRODUCT ID	MODEL NO.	ORDERING CODE
VAPOR TIGHT HIGH BAY V4	100W	15000Lm	120-347Vac	3500K 4000K 5000K	S-F12NSK	VPT0155W-4VTADHV14P3CK-V4	VTHB-100W-150W-VAR-V4
	120W	18000Lm					
	135W	20250Lm					
	155W	23250Lm					

