



SPADA®

SPA SERIES

EACH MODEL NUMBER CONSISTS OF THE FOLLOWING:
SERIES / WATTAGE / LENGTH / LED COLOR TEMP. / INPUT

SERIES:	SPA
WATTAGE / LENGTH:	20W / 2FT 40W / 4FT
COLOR TEMP.:	3000K 4000K 5000K
INPUT:	120V-277V



IMPORTANT SAFEGUARDS

When using electrical equipment, basic safety precautions should always be followed including the following:

READ AND FOLLOW ALL SAFETY INSTRUCTIONS.

1. Do not let power cords touch hot surfaces.
2. Do not mount near gas or electric heaters.
3. Equipment should be mounted in locations and at heights where unauthorized personnel will not readily subject it to tampering.
4. The use of accessory equipment not recommended by Beluce Canada Inc., may cause an unsafe condition, and will void the warranty.
5. Do not use this equipment for other than its intended purpose.
6. Servicing of this equipment should be performed by qualified service personnel.

THIS PRODUCT MUST BE INSTALLED BY A PERSON FAMILIAR WITH THE CONSTRUCTION AND OPERATION OF THE PRODUCT AND THE HAZARDS INVOLVED, IN ACCORDANCE WITH THE APPLICABLE INSTALLATION CODE.



First make sure power is turned off!

1. Install each mounting system as indicated.
2. Connect wires leads from main AC following wire labels.



WARNING ⚠️

No user serviceable parts. Refer service to a qualified service technician. Read instructions prior to installing and/or operating this device. Installation should be performed by a licensed electrician/installer in accordance with local codes.


SURFACE/CEILING MOUNT

1. Fasten and secure mounting clips with mounting screws.
2. Fasten fixture to mounting clips as indicated.


Fixture will snap in place.




COMMON CANOPY MOUNTING STEPS



COMPLETED ASSEMBLY



JUNCTION MOUNT (IP64 RATED)




Secure mounting clips to the ceiling
 Secure canopy to j-box with cross-bar
 Adjust cord length, do wiring connection
 Snap in the fixture to the mounting clips


AIRCRAFT CABLE MOUNT

1. Secure steel aircraft cables to the ceiling.
2. Fasten and secure mounting clips to the Spada®.
3. Secure the cable gripper to the mounting clips.
4. Connect and secure the steel aircraft cable to the gripper and adjust length accordingly.

COMPLETED ASSEMBLY




AIR CRAFT CABLE JUNCTION MOUNT (IP64 RATED)




CHAIN MOUNT

COMPLETED ASSEMBLY



CHAIN JUNCTION MOUNT (IP64 RATED)



926000415



Beluce Canada Inc.
3900 14th Avenue
Markham, Ontario L3R 4R3 Canada
P: (905) 948-9500
F: (905) 948-8673
www.BeghelliCanada.com



Beghelli USA
3250 Corporate Way
Miramar, Florida 33025 USA
P: 800 726 4316 / P: 954 442 6600
F: 954 442 6677
www.BeghelliUSA.com



Beghelli Mexico
Av El Marques No. 70, Interior 4
76246 Mpio. El Marquez
Queretano, QRO. Mexico
P: +52 442-221-6439 / F: +52 442-221-6215
www.BeghelliMexico.com