

EASY CONNECT ™ INSTALLATION INSTRUCTIONS

IWF740B01 10/20

NEED HELP? Call or Email us first

Our service team is ready to answer your questions... 1-800-265-1833 (English) / 1-800-567-2513 (French) IN CANADA - ressalescanada@canarmna.ca - IN USA - ressalesusa@canarmna.ca

Monday – Friday 8 AM - 5 PM E.S.T.



INSTRUCTIONS PERTAINING TO RISK OF FIRE OR INJURY TO PERSONS **READ ALL INSTRUCTIONS**

IMPORTANT SAFETY INSTRUCTIONS

TOOLS AND MATERIALS REQUIRED:






SAFETY PRECAUTIONS:


- 1. TURN OFF ELECTRICAL POWER BEFORE STARTING INSTALLATION OF LIGHT FIXTURE.
- 2. WIRING SUPPLIES AS REQUIRED BY LOCAL ELECTRICAL CODE.
- 3. THIS PRODUCT MUST BE INSTALLED IN ACCORDANCE WITH THE APPLICABLE INSTALLATION CODE BY A PERSON FAMILIAR WITH THE CONSTRUCTION AND OPERATION OF THE PRODUCT AND THE HAZARDS INVOLVED.
- 4. TO CLEAN THE FIXTURE, TURN OFF THE POWER, WAIT FOR IT TO COOL, AND WIPE THE FIXTURE WITH A CLEAN, SOFT CLOTH.

NOTE: Product may not look exactly as shown in figures.

INSTALLATION:



 $\mathbb{1}_{\circ}$ Attach nipple to mounting bracket. Adjust so it will clear hole in back of fixture and then lock nipple in place with hex nut. Attach mounting bracket to electrical box with electrical box screws (not included).



 \mathfrak{Z}_{\circ} Connect (push) electrical wires from fixture into correct inserts.

4. Once connections of wires are completed, carefully tuck wires and wire nuts into the electrical box making sure no bare wire (on the black and white) is visible at the wire

nuts. Finial Star Washer

Glass

Spinner

Nut


Bulb

5. Secure the fixture to the nipple tightening by star washer and hex nut. Screw the finial to the nipple.


6. Remove spinner nut from socket. Position the glass on lamp and secure with spinner nut.

 \mathbb{Z}_{\circ} Install proper bulb type

and wattage (not included).



2 **Option 1:** Connect (push) electrical wires from electric box (house wiring) into correct inserts.



green (ground), black (live) and white (neutral) wires ioined in the electrical box (house wiring), attach a single "green", "black" and connecting. Strip 7mm from a 6 in. jumper wires supplied. Then connect (push) wires into the





MODE D' INSTALLATION™ **CONNECTEUR EASY CONNECT**

IWF740B01 10/20

BESOIN D'AIDE?

Écrivez-nous ou appelez nous d'abord

Notre équipe de service est prêt à répondre à vos questions... 1-800-265-1833 (Anglais) / 1-800-567-2513 (Français) Au Canada - ressalescanada@canarmna.ca - Aux États-Unis - ressalesusa@canarmna.ca

Lundi – Vendredi 8 am – 5 pm e.s.t.

INSTRUCTIONS CONCERNANT LE RISQUE D'INCENDIES OU LES DOMMAGES CORPORELS LISEZ TOUTES LES INSTRUCTIONS

INSTRUCTIONS DE SÛRETÉ **IMPORTANTES** GARDEZ CES INSTRUCTIONS


OUTILS ET MATERIAUX REQUIS:




MISE EN GARDE:

- 1. FERMER LE COURANT AU DISJONCTEUR AVANT DE DÉBUTER L'INSTALLATION DE LA FIXTURE.
- 2. FOURNITURES ÉLECTRIQUES TELLES QUE PRESCRITES PAR LES NORMES LOCALES.
- 3. CE PRODUIT DOIT ÊTRE INSTALLÉ SELON LE CODE D'INSTALLATION PERTINENT, PAR UNE PERSONNE QUI CONNAIT BIEN LE PRODUIT ET SON FONCTIONNEMENT AINSI QUE LES RISQUES INHÉRENTS.
- 4. POUR NETTOYER LE LUMINAIRE, L'ÉTEINDRE, ATTENDRE QU'IL SOIT FROID, PUIS LE NETTOYER AVEC LINGE PROPRE ET DOUX.
- N.B.: Peut différer de l'illustration.

INSTALLATION:



 $\mathbb{1}_{\circ}$ Posez le bout fileté à la ferrure de montage. Ajustez le jusqu'à ce qu'il dépasse le trou à l'arrière de la fixture et fixez en place à l'aide de l'écrou hexagonal. Posez la ferrure de montageà la boîte électrique à l'aide des vis (en sus).



 \mathfrak{Z}_{ullet} Branchez (poussez) les fils électriques du luminaire dans les insertions appropriées.

4。Une fois les connexions terminées, poussez soigneusement les fils et les connecteurs dans la boîte électrique en vous assurant qu'aucun fil dénudé (sur les fils noirs et blancs) est visible des connecteurs.

5。Posez le luminaire au bout fileté en serrant à l'aide des écrous étoilés et des écrous hexagonaux. Vissez le

ြံ့ Retirez l'écrou fileté de la douille. Posez le globe sur la lampe et serrez en place à l'aide de l'écrou fileté.

 \mathbb{Z}_{\circ} Posez l'ampoule de type et de wattage requis (en sus).

