




## **HED**

Suspended Direct

**delviro energy**

94 Brockport Drive, Toronto, Ontario, M9W 7J8 | Tel. 1.877.502.3434 | [info@delviro.com](mailto:info@delviro.com)

[www.delviro.com](http://www.delviro.com)



## HED

### Suspended Direct

#### FEATURES

- Contemporary style
- Bold design
- Slim profile
- High gloss finishes
- Aluminum body

**10** Year  
Warranty

#### SPECIFICATIONS

**Efficacy:**

115 Lm/W

**CRI:**

80+ | 90+ Available

**Color Temperature:**

3000K, 3500K, 4000K, 5000K

**Lumen Maintenance:**

200,000+ Life Hours (L70)

**Voltage:**

120/277V | 347V

**Watts:**

70


**Mounting Options:**

Aircraft Cable

#### OUTPUT PERFORMANCE

| Models | Input Watts | Lm/W | Delivered Lumens |
|--------|-------------|------|------------------|
| HED    | 70          | 115  | 8050             |

#### DIMENSIONS


**delviro energy**





94 Brockport Drive, Toronto, Ontario, M9W 7J8 | Tel. 1.877.502.3434 | info@delviro.com | www.delviro.com

© delviro energy 2018

Specifications subject to change without notice.

## FINISH OPTIONS

---



ADDITIONAL FINISHES AVAILABLE  
Please contact [delviro.com](http://delviro.com) for more information

## ORDERING GUIDE

| MODEL | WATTS | COLOR TEMP |       | VOLTAGE              | LENS       | FINISH                |                   | MOUNTING                                   | ACCESSORIES |  |
|-------|-------|------------|-------|----------------------|------------|-----------------------|-------------------|--------------------------------------------|-------------|--|
| HED   | 70    | 3K         | 3000K | U 120/277V<br>H 347V | FR Frosted | WH White<br>CU Custom | AC Aircraft Cable | N None<br>DIMOFF 0-10 1% Dim to off Driver |             |  |
|       |       | 35K        | 3500K |                      |            |                       |                   |                                            |             |  |
|       |       | 4K         | 4000K |                      |            |                       |                   |                                            |             |  |
|       |       | 5K         | 5000K |                      |            |                       |                   |                                            |             |  |
| HED   | 70    |            |       |                      | FR         |                       | AC                |                                            |             |  |

### NOTE

CU - Please consult factory