

CMH TRACK LIGHTING SERIES



FINISH:

☐ WH-White

☒ BK-Black

ACCESSORIES:

BLADE



CAT#.	LAMP TYPE
ET161	PAR20, T4

SNOOT



CAT#.	LAMP TYPE
ET162	PAR20, T4


FIXTURE

LAMP TYPE

BEAM ANGLE

DIMENSIONS

ET310-20W-CMH-PAR20-__	20W.CMH PAR20	
ET310-39W-CMH-PAR20-__	39W.CMH PAR20	
ET316-20W-CMH-T4-SP-__	20W.CMH T4/T4.5 G8.5 Bi-Pin Base	13°
ET316-20W-CMH-T4-NFL-__	20W.CMH T4/T4.5 G8.5 Bi-Pin Base	24°
ET316-20W-CMH-T4-FL-__	20W.CMH T4/T4.5 G8.5 Bi-Pin Base	36°
ET316-39W-CMH-T4-SP-__	39W.CMH T4/T4.5 G8.5 Bi-Pin Base	13°
ET316-39W-CMH-T4-NFL-__	39W.CMH T4/T4.5 G8.5 Bi-Pin Base	24°
ET316-39W-CMH-T4-FL-__	39W.CMH T4/T4.5 G8.5 Bi-Pin Base	36°



EXAMPLE: ET310-20W-CMH-PAR20-WH

FINISH:

☐ WH-White

☒ BK-Black

ACCESSORIES:

BLADE



CAT#.	LAMP TYPE
ET163	PAR30, T6/T4.5

SNOOT



CAT#.	LAMP TYPE
ET164	PAR30, T6/T4.5


FIXTURE

LAMP TYPE

BEAM ANGLE

DIMENSIONS

ET360-20W-CMH-PAR30-__	20W.CMH PAR30	
ET360-39W-CMH-PAR30-__	39W.CMH PAR30	
ET360-70W-CMH-PAR30-__	70W.CMH PAR30	
ET366-39W-CMH-T6-SP-__	39W.CMH T6/T4.5 G12 Bi-Pin Base	13°
ET366-39W-CMH-T6-NFL-__	39W.CMH T6/T4.5 G12 Bi-Pin Base	24°
ET366-39W-CMH-T6-FL-__	39W.CMH T6/T4.5 G12 Bi-Pin Base	36°
ET366-70W-CMH-T6-SP-__	70W.CMH T6 G12 Bi-Pin Base	13°
ET366-70W-CMH-T6-NFL-__	70W.CMH T6 G12 Bi-Pin Base	24°
ET366-70W-CMH-T6-FL-__	70W.CMH T6 G12 Bi-Pin Base	36°





ACCESSORIES:

BLADE



CAT#.	LAMP TYPE
ET161	PAR20, T4

SNOOT




CAT#.	LAMP TYPE
ET162	PAR20, T4

FINISH:

☐ WH-White

☐ BK-Black

FIXTURE	LAMP TYPE	BEAM ANGLE	DIMENSIONS
ET311-20W-CMH-PAR20-__	20W.CMHPAR20		
ET311-39W-CMH-PAR20-__	39W.CMHPAR20		
ET317-20W-CMH-T4-SP-__	20W.CMH T4/T4.5 G8.5 Bi-Pin Base	13°	
ET317-20W-CMH-T4-NFL-__	20W.CMH T4/T4.5 G8.5 Bi-Pin Base	24°	
ET317-20W-CMH-T4-FL-__	20W.CMH T4/T4.5 G8.5 Bi-Pin Base	36°	
ET317-39W-CMH-T4-SP-__	39W.CMH T4/T4.5 G8.5 Bi-Pin Base	13°	
ET317-39W-CMH-T4-NFL-__	39W.CMH T4/T4.5 G8.5 Bi-Pin Base	24°	
ET317-39W-CMH-T4-FL-__	39W.CMH T4/T4.5 G8.5 Bi-Pin Base	36°	



ACCESSORIES:

BLADE



CAT#.	LAMP TYPE
ET163	PAR30, T6/T4.5

SNOOT



CAT#.	LAMP TYPE
ET164	PAR30, T6/T4.5


EXAMPLE: ET311-20W-CMH-PAR20-WH

FINISH:

☐ WH-White

☐ BK-Black

FIXTURE	LAMP TYPE	BEAM ANGLE	DIMENSIONS
ET361-20W-CMH-PAR30-__	20W.CMHPAR30		
ET361-39W-CMH-PAR30-__	39W.CMHPAR30		
ET361-70W-CMH-PAR30-__	70W.CMHPAR30		
ET367-39W-CMH-T6-SP-__	39W.CMH T6/T4.5 G12 Bi-Pin Base	13°	
ET367-39W-CMH-T6-NFL-__	39W.CMH T6/T4.5 G12 Bi-Pin Base	24°	
ET367-39W-CMH-T6-FL-__	39W.CMH T6/T4.5 G12 Bi-Pin Base	36°	
ET367-70W-CMH-T6-SP-__	70W.CMH T6 G12 Bi-Pin Base	13°	
ET367-70W-CMH-T6-NFL-__	70W.CMH T6 G12 Bi-Pin Base	24°	
ET367-70W-CMH-T6-FL-__	70W.CMH T6 G12 Bi-Pin Base	36°	



CMH TRACK LIGHTING SERIES



FINISH:

☐ WH-White

☒ BK-Black

ACCESSORIES:

BLADE



CAT#.

ET161

LAMP TYPE

PAR20, T4

SNOOT



CAT#.

ET162

LAMP TYPE

PAR20, T4


FIXTURE

LAMP TYPE

BEAM ANGLE

DIMENSIONS

ET312-20W-CMH-PAR20-__	20W.CMH PAR20	
ET312-39W-CMH-PAR20-__	39W.CMH PAR20	
ET318-20W-CMH-T4-SP-__	20W.CMH T4/T4.5 G8.5 Bi-Pin Base	13°
ET318-20W-CMH-T4-NFL-__	20W.CMH T4/T4.5 G8.5 Bi-Pin Base	24°
ET318-20W-CMH-T4-FL-__	20W.CMH T4/T4.5 G8.5 Bi-Pin Base	36°
ET318-39W-CMH-T4-SP-__	39W.CMH T4/T4.5 G8.5 Bi-Pin Base	13°
ET318-39W-CMH-T4-NFL-__	39W.CMH T4/T4.5 G8.5 Bi-Pin Base	24°
ET318-39W-CMH-T4-FL-__	39W.CMH T4/T4.5 G8.5 Bi-Pin Base	36°



EXAMPLE: ET312-20W-CMH-PAR20-WH

FINISH:

☐ WH-White

☒ BK-Black

ACCESSORIES:

BLADE



CAT#.

ET163

LAMP TYPE

PAR30, T6/T4.5

SNOOT



CAT#.

ET164

LAMP TYPE

PAR30, T6/T4.5


FIXTURE

LAMP TYPE

BEAM ANGLE

DIMENSIONS

ET362-20W-CMH-PAR30-__	20W.CMH PAR30	
ET362-39W-CMH-PAR30-__	39W.CMH PAR30	
ET362-70W-CMH-PAR30-__	70W.CMH PAR30	
ET368-39W-CMH-T6-SP-__	39W.CMH T6/T4.5 G12 Bi-Pin Base	13°
ET368-39W-CMH-T6-NFL-__	39W.CMH T6/T4.5 G12 Bi-Pin Base	24°
ET368-39W-CMH-T6-FL-__	39W.CMH T6/T4.5 G12 Bi-Pin Base	36°
ET368-70W-CMH-T6-SP-__	70W.CMH T6 G12 Bi-Pin Base	13°
ET368-70W-CMH-T6-NFL-__	70W.CMH T6 G12 Bi-Pin Base	24°
ET368-70W-CMH-T6-FL-__	70W.CMH T6 G12 Bi-Pin Base	36°





ACCESSORIES:

BLADE



CAT#.	LAMP TYPE
ET161	PAR20, T4

SNOOT




CAT#.	LAMP TYPE
ET162	PAR20, T4

FINISH:

WH-White

BK-Black

FIXTURE	LAMP TYPE	BEAM ANGLE	DIMENSIONS
ET313-20W-CMH-PAR20-__	20W.CMH PAR20		
ET313-39W-CMH-PAR20-__	39W.CMH PAR20		
ET319-20W-CMH-T4-SP-__	20W.CMH T4/T4.5 G8.5 Bi-Pin Base	13°	
ET319-20W-CMH-T4-NFL-__	20W.CMH T4/T4.5 G8.5 Bi-Pin Base	24°	
ET319-20W-CMH-T4-FL-__	20W.CMH T4/T4.5 G8.5 Bi-Pin Base	36°	
ET319-39W-CMH-T4-SP-__	39W.CMH T4/T4.5 G8.5 Bi-Pin Base	13°	
ET319-39W-CMH-T4-NFL-__	39W.CMH T4/T4.5 G8.5 Bi-Pin Base	24°	
ET319-39W-CMH-T4-FL-__	39W.CMH T4/T4.5 G8.5 Bi-Pin Base	36°	



ACCESSORIES:

BLADE



CAT#.	LAMP TYPE
ET163	PAR30, T6/T4.5

SNOOT



CAT#.	LAMP TYPE
ET164	PAR30, T6/T4.5


EXAMPLE: ET313-20W-CMH-PAR20-WH

FINISH:

WH-White

BK-Black

FIXTURE	LAMP TYPE	BEAM ANGLE	DIMENSIONS
ET363-20W-CMH-PAR30-__	20W.CMH PAR30		
ET363-39W-CMH-PAR30-__	39W.CMH PAR30		
ET363-70W-CMH-PAR30-__	70W.CMH PAR30		
ET369-39W-CMH-T6-SP-__	39W.CMH T6/T4.5 G12 Bi-Pin Base	13°	
ET369-39W-CMH-T6-NFL-__	39W.CMH T6/T4.5 G12 Bi-Pin Base	24°	
ET369-39W-CMH-T6-FL-__	39W.CMH T6/T4.5 G12 Bi-Pin Base	36°	
ET369-70W-CMH-T6-SP-__	70W.CMH T6 G12 Bi-Pin Base	13°	
ET369-70W-CMH-T6-NFL-__	70W.CMH T6 G12 Bi-Pin Base	24°	
ET369-70W-CMH-T6-FL-__	70W.CMH T6 G12 Bi-Pin Base	36°	



CMH TRACK LIGHTING SERIES



FINISH:

☐ WH-White

☒ BK-Black

ACCESSORIES:

BLADE



CAT#.

ET161

LAMP TYPE

PAR20, T4

SNOOT



CAT#.

ET162

LAMP TYPE

PAR20, T4


FIXTURE

LAMP TYPE

BEAM ANGLE

DIMENSIONS

ET314-20W-CMH-PAR20-__	20W.CMHPAR20	
ET314-39W-CMH-PAR20-__	39W.CMHPAR20	
ET320-20W-CMH-T4-SP-__	20W.CMH T4/T4.5 G8.5 Bi-Pin Base	13°
ET320-20W-CMH-T4-NFL-__	20W.CMH T4/T4.5 G8.5 Bi-Pin Base	24°
ET320-20W-CMH-T4-FL-__	20W.CMH T4/T4.5 G8.5 Bi-Pin Base	36°
ET320-39W-CMH-T4-SP-__	39W.CMH T4/T4.5 G8.5 Bi-Pin Base	13°
ET320-39W-CMH-T4-NFL-__	39W.CMH T4/T4.5 G8.5 Bi-Pin Base	24°
ET320-39W-CMH-T4-FL-__	39W.CMH T4/T4.5 G8.5 Bi-Pin Base	36°



EXAMPLE: ET314-20W-CMH-PAR20-WH

FINISH:

☐ WH-White

☒ BK-Black

ACCESSORIES:

BLADE



CAT#.

ET163

LAMP TYPE

PAR30, T6/T4.5

SNOOT



CAT#.

ET164

LAMP TYPE

PAR30, T6/T4.5


FIXTURE

LAMP TYPE

BEAM ANGLE

DIMENSIONS

ET364-20W-CMH-PAR30-__	20W.CMHPAR30	
ET364-39W-CMH-PAR30-__	39W.CMHPAR30	
ET364-70W-CMH-PAR30-__	70W.CMHPAR30	
ET370-39W-CMH-T6-SP-__	39W.CMH T6/T4.5 G12 Bi-Pin Base	13°
ET370-39W-CMH-T6-NFL-__	39W.CMH T6/T4.5 G12 Bi-Pin Base	24°
ET370-39W-CMH-T6-FL-__	39W.CMH T6/T4.5 G12 Bi-Pin Base	36°
ET370-70W-CMH-T6-SP-__	70W.CMH T6 G12 Bi-Pin Base	13°
ET370-70W-CMH-T6-NFL-__	70W.CMH T6 G12 Bi-Pin Base	24°
ET370-70W-CMH-T6-FL-__	70W.CMH T6 G12 Bi-Pin Base	36°
ET370-150W-CMH-T6-SP-__	150W.CMH T6 G12 Bi-Pin Base	13°
ET370-150W-CMH-T6-NFL-__	150W.CMH T6 G12 Bi-Pin Base	24°
ET370-150W-CMH-T6-FL-__	150W.CMH T6 G12 Bi-Pin Base	36°





ACCESSORIES:

BLADE



CAT#.	LAMP TYPE
ET161	PAR20, T4

SNOOT




CAT#.	LAMP TYPE
ET162	PAR20, T4

FINISH:

☐ WH-White ☒ BK-Black

FIXTURE	LAMP TYPE	BEAM ANGLE	DIMENSIONS
ET315-20W-CMH-PAR20-__	20W.CMH PAR20		
ET315-39W-CMH-PAR20-__	39W.CMH PAR20		
ET321-20W-CMH-T4-SP-__	20W.CMH T4/T4.5 G8.5 Bi-Pin Base	13°	
ET321-20W-CMH-T4-NFL-__	20W.CMH T4/T4.5 G8.5 Bi-Pin Base	24°	
ET321-20W-CMH-T4-FL-__	20W.CMH T4/T4.5 G8.5 Bi-Pin Base	36°	
ET321-39W-CMH-T4-SP-__	39W.CMH T4/T4.5 G8.5 Bi-Pin Base	13°	
ET321-39W-CMH-T4-NFL-__	39W.CMH T4/T4.5 G8.5 Bi-Pin Base	24°	
ET321-39W-CMH-T4-FL-__	39W.CMH T4/T4.5 G8.5 Bi-Pin Base	36°	



ACCESSORIES:

BLADE



CAT#.	LAMP TYPE
ET163	PAR30, T6/T4.5

SNOOT



CAT#.	LAMP TYPE
ET164	PAR30, T6/T4.5

EXAMPLE: ET315-20W-CMH-PAR20-WH

FINISH:

☐ WH-White ☒ BK-Black

FIXTURE	LAMP TYPE	BEAM ANGLE	DIMENSIONS
ET365-20W-CMH-PAR30-__	20W.CMH PAR30		
ET365-39W-CMH-PAR30-__	39W.CMH PAR30		
ET365-70W-CMH-PAR30-__	70W.CMH PAR30		
ET371-39W-CMH-T6-SP-__	39W.CMH T6/T4.5 G12 Bi-Pin Base	13°	
ET371-39W-CMH-T6-NFL-__	39W.CMH T6/T4.5 G12 Bi-Pin Base	24°	
ET371-39W-CMH-T6-FL-__	39W.CMH T6/T4.5 G12 Bi-Pin Base	36°	
ET371-70W-CMH-T6-SP-__	70W.CMH T6 G12 Bi-Pin Base	13°	
ET371-70W-CMH-T6-NFL-__	70W.CMH T6 G12 Bi-Pin Base	24°	
ET371-70W-CMH-T6-FL-__	70W.CMH T6 G12 Bi-Pin Base	36°	
ET371-150W-CMH-T6-SP-__	150W.CMH T6 G12 Bi-Pin Base	13°	
ET371-150W-CMH-T6-NFL-__	150W.CMH T6 G12 Bi-Pin Base	24°	
ET371-150W-CMH-T6-FL-__	150W.CMH T6 G12 Bi-Pin Base	36°	

