

H4LVIC-AT

4" Low Voltage Downlight

Architectural

Catalog Number:

Project Name:

Type:

Note:

MAXILUME
ARCHITECTURAL LIGHTING



DESCRIPTION

1. REFLECTOR - 16 gauge aluminum.

2. TRIM - All die-cast aluminum. Can take up to 2 optical accessories.


3. COVER LENS - High temperature tempered glass.

4. SOCKET - Porcelain bi-pin socket.

5. MOUNTING BRACKET - Is constructed from 16-gauge steel and is supplied with C-channels that are adjustable up to 26".

6. JUNCTION BOX - UL listed for through-branch circuit wiring. Junction Box is accessible from below, no tools required.

7. MOUNTING FRAME - IC-Air-Shut fixture may be in direct contact with insulation.



A. Height = 7-1/4"

B. Trim Aperture = 4"

C. Cut-out = 4-3/8"

D. Trim Outside Diameter = 4-7/8"

E. Width = 7-5/8"

F. Length = 12-1/4"



H4LVIC-AT- ITEM SELECTOR: (Please check the boxes below for the option desired)

WATTAGE	BALLAST	VOLTAGE	TRIM TYPE & DESCRIPTION				BAFFLE	REFLECTOR	TRIM RING
☐ 20W MR16	☐ (M) Magnetic	☐ 120	☐ B1401	☐ B1414	☐ B1437	☐ B1420	☐ W	☐ CL	☐ WH
☐ 50W MR16	☐ (E) Electronic	☐ 277	☐ B1402	☐ B1415	☐ B1438	☐ B1494	☐ P	☐ RG	☐ BK
	☐ (TOR) Toroidal*		☐ B1463	☐ B1404	☐ B1439	☐ B1478	☐ SN	☐ W	☐ SN
	<i>*Toroidal = Available only in 120V</i>		☐ B1464	☐ B1418	☐ B1426	☐ B1479	☐ CP	☐ MB	☐ CP
			☐ B1465	☐ B1412	☐ B1427	☐ B1483	☐ BZ	☐ CP	☐ CH
			☐ B1466	☐ B1468	☐ B1431	☐ B1480		☐ SN	☐ PB
			☐ B1467	☐ B1461	☐ B1432	☐ B1484			☐ BZ
			☐ B1424	☐ B1433	☐ B1436	☐ B1481			
			☐ B1403	☐ B1417	☐ B1440	☐ B1491			
			☐ B1411	☐ B1477	☐ B1485	☐ B1495			
			☐ B1416	☐ B1462	☐ B1425	☐ B1490			
			☐ B1407	☐ B1452	☐ B1442	☐ B1492			

Specifications:

H4LVIC-AT

_____ - _____ - _____ - _____ - _____ - _____
WATT BALLAST VOLTAGE TRIM TYPE REFLECTOR BAFFLE RING

BAFFLE	REFLECTOR	TRIM RING
W White	CL Chrome	WH White
P Black	RG Gold	BK Black
SN Satin Nickel	W White	SN Satin Nickel
CP Copper	MB Black	CP Copper
BZ Bronze	CP Copper	CH Chrome
	SN Satin Nickel	PB Polish Brass
		BZ Bronze

Sample of Catalog Number: H4LVIC-AT-50W MR16-120-B1401-CP-CP

MAXILUME
ARCHITECTURAL LIGHTING

A division of
Elite Lighting

Submittal form is available @ www.maxilume.com
Tel: 323-888-1973 • Fax: 323-888-1977

Specifications and Dimensions
subject to change without notice.

MAX-SPECS 2011-03-08

4" Low Voltage Optics

Catalog Number:

Project Name:

Type:

Note:


MAXILUME
ARCHITECTURAL LIGHTING

**B1401CP-CP
STEPPED BAFFLE**



BAFFLE FINISH:
W, P, SN, CP, BZ

RING FINISH:
WH, BK, SN, CP, CH, PB, BZ




**B1402CP-WH
REFLECTOR (35° TILT)**



REFLECTOR FINISH:
CL, RG, W, MB, CP, SN, BZ

RING FINISH:
WH, BK, SN, CP, CH, PB, BZ




**B1463RG-WH
ANGLE-CUT REFLECTOR**




REFLECTOR FINISH:
CL, RG, W, MB, CP, SN

RING FINISH:
WH, BK, SN, CP, CH, PB




**B1464CP-CP
ANGLE-CUT BAFFLE**



BAFFLE FINISH:
W, P, SN, CP

RING FINISH:
WH, BK, SN, CP, CH, PB




**B1465CL-WH
ANGLE-CUT PINHOLE**



REFLECTOR FINISH:
CL, RG, W, MB, CP, SN


RING FINISH:
WH, SN, CP



**B1466CL-WH
ANGLE-CUT SLOT APERTURE**



TRIM FINISH:
WH, BK, SN, CP, CH, PB




**B1467CL-WH
LENSED WALL WASH**



REFLECTOR FINISH:
CL, RG, W, MB, CP, SN


TRIM COVER:
WH, BK



**B1411WH
SLOT APERTURE (35° TILT, 179° ROT)**




TRIM FINISH:
WH, BK, SN, CP, CH, PB, BZ



**B1403CP
ONE PIECE SLOT APERTURE (35° TILT)**



TRIM FINISH:
WH, BK, SN, CP, CH, PB, BZ




**B1416P-WH
BAFFLE WALL WASH**



BAFFLE FINISH:
W, P, SN, CP, BZ

WALL WASH COVER:
WH, BK




**B1407CL-WH
REFLECTOR WALL WASH**



REFLECTOR FINISH:
CL, RG, W, MB, CP, SN


WALL WASH COVER:
WH, BK



**B1414W-WH
PINHOLE WITH BAFFLE**




AVAILABLE COLOR COMBINATIONS:
CP-CP, SN-SN, W-WH, P-WH, P-BK, BZ-BZ



**B1415CL-WH
PINHOLE WITH REFLECTOR**




AVAILABLE COLOR COMBINATIONS:
CL-WH, CL-SN, RG-WH, MB-WH, W-WH



**B1404P-WH
EYEBALL (47° TILT)**




AVAILABLE COLOR COMBINATIONS:
CP-CP, SN-SN, RG-WH, P-WH, P-BK, BZ-BZ



**B1418P-WH
ADJ.PINHOLE W/ EYEBALL (35° TILT)**




AVAILABLE COLOR COMBINATIONS:
W-WH, P-WH, P-BK, P-PB, W-CH



**B1412CH
FULLY ADJUSTABLE (35° TILT, 359° ROT.)**



TRIM FINISH:
WH, BK, SN, CP, CH, PB, BZ



MAXILUME
ARCHITECTURAL LIGHTING

A division of
Elite Lighting

Submittal form is available @ www.maxilume.com
Tel: 323-888-1973 • Fax: 323-888-1977

Specifications and Dimensions
subject to change without notice.

REV: MAXILUME-SPEC-03-23-2011

4" Low Voltage Optics

Catalog Number:

Project Name:

Type:

Note:


MAXILUME
ARCHITECTURAL LIGHTING

B1468W-WH
FULLY ADJ. W/ BAFFLE (35° TILT, 359° ROT.)




AVAILABLE COLOR COMBINATIONS:
CP-CP, SN-SN, W-WH, P-WH, P-BK, BZ-BZ

B1461SN
ADJUSTABLE GIMBAL (40° TILT)




TRIM FINISH:
WH, BK, SN, CP, CH, PB, BZ

B1433P-WH
ADJUSTABLE PINHOLE BAFFLE (15° TILT)



AVAILABLE COLOR COMBINATIONS:
W-WH, P-WH


B1417W-WH
METAL STEPPED BAFFLE



BAFFLE FINISH:
W, P, SN, CP, BZ

RING FINISH:
WH, BK, SN, CP, CH, PB, BZ


B1477CL-WH
CROSSBLADE REFLECTOR



REFLECTOR FINISH:
CL

RING FINISH:
WH, BK, SN, CP, CH, PB, BZ


B1462CL-WH
SEMI-FROSTED SHOWER TRIM



REFLECTOR FINISH:
CL, RG, W, MB, CP, SN

RING FINISH:
WH, BK, SN, CP, CH, PB, BZ


B1452CL-WH
CLEAR LENS SHOWER TRIM



REFLECTOR FINISH:
CL, RG, W, MB, CP, SN

RING FINISH:
WH, BK, SN, CP, CH, PB, BZ


B1437WH
SMOOTH FROST SHOWER LITE



REFLECTOR FINISH:
CL

RING FINISH:
WH, BK, SN, CP, CH, PB, BZ


B1438WH
DESIGNER POINT SHOWER LITE



REFLECTOR FINISH:
CL, RG, W, MB, CP, SN

RING FINISH:
WH, BK, SN, CP, CH, PB, BZ


B1439WH
SMOOTH FROST DOME SHOWER LITE



REFLECTOR FINISH:
CL

RING FINISH:
WH, BK, SN, CP, CH, PB, BZ


B1426CL-WH
THE ILLUMINATOR II



REFLECTOR FINISH:
CL, RG, W, MB, CP, SN

RING FINISH:
WH, BK, SN


B1427CL-WH
THE ILLUMINATOR



REFLECTOR FINISH:
CL, RG, W, MB, CP, SN

RING FINISH:
WH, BK, SN

B1431WH
CRYSTAL STRIPE LITE



TRIM FINISH:
WH, BK, SN, CP, CH, PB

GLASS FINISH:
CRYSTAL/FROST

B1432WH
WALL WASH FROST LITE



TRIM FINISH:
WH, BK, SN, CP, CH, PB

GLASS FINISH:
WHITE, PINK, BLUE, GREEN


B1436WH
CYLINDER LITE



TRIM FINISH:
WH, BK, SN, CP, CH, PB

GLASS FINISH:
WHITE, PINK, BLUE, GREEN

B1440WH-PINK
TULIP LITE



TRIM FINISH:
WH, BK, SN, CP, CH, PB

GLASS FINISH:
TEAL, PINK, LIME, BLUE

MAXILUME
ARCHITECTURAL LIGHTING

A division of
Elite Lighting

Submittal form is available @ www.maxilume.com
Tel: 323-888-1973 • Fax: 323-888-1977

Specifications and Dimensions
subject to change without notice.

REV: MAXILUME-SPEC-03-23-2011

4" Low Voltage Optics

Catalog Number:


Project Name:

Type:

Note:

MAXILUME
ARCHITECTURAL LIGHTING


**B1424WH-RED
METROPOLITAN HONEY LITE**



TRIM FINISH:
WH, BK, SN, CP, CH, PB

GLASS FINISH:
BLUE, RED, WHITE, GREEN

**B1420WH-GREEN
METROPOLITAN MOON LITE**



TRIM FINISH:
WH, BK, SN, CP, CH, PB

GLASS FINISH:
BLUE, PEACH, GREEN, CLEAR,
AMBER, FROSTED


**B1425WH-AMBER
METROPOLITAN STEP LITE**



TRIM FINISH:
WH, BK, SN, CP, CH, PB

GLASS FINISH:
BLUE, PEACH, GREEN, CLEAR,
AMBER, FROSTED


**B1442WH-PEACH
DESIGNER MOON LITE**



TRIM FINISH:
WH, BK, SN, CP, CH, PB

GLASS FINISH:
BLUE, PEACH, GREEN,
FROSTED

**B1478SN-SN
STEPPED BAFFLE (35° TILT)**



BAFFLE FINISH:
W, P, SN, CP, BZ

RING FINISH:
WH, BK, SN, CP, CH, PB, BZ


**B1479CL-WH
REFLECTOR (35° TILT)**



REFLECTOR FINISH:
CL, RG, MB, W, CP, SN

RING FINISH:
WH, BK, SN, CP, CH, PB, BZ

**B1494WH-BLUE
DESIGNER SQUARE STEP LITE**



TRIM FINISH:
WH, BK, SN, CP, CH, PB


GLASS FINISH:
BLUE, PEACH, GREEN,
FROSTED

**B1485W-WH
EYEBALL (47° TILT)**




**AVAILABLE COLOR
COMBINATIONS:**
CP-CP, SN-SN, W-WH,
P-WH, P-BK

**B1483WH
SLOT APERTURE (35° TILT)**




TRIM FINISH:
WH, BK, SN, CP, CH, PB, BZ

**B1480WH
FULLY ADJUSTABLE (35° TILT, 359° ROT.)**



TRIM FINISH:
WH, BK, SN, CP, CH, PB, BZ

**B1484P-WH
FULLY ADJ. W/ BAFFLE (35° TILT, 359° ROT.)**



**AVAILABLE COLOR
COMBINATIONS:**
W-WH, P-WH, P-BK,
CP-CP, SN-SN, BZ-BZ

**B1481WH
ADJUSTABLE GIMBAL (40° TILT)**



TRIM FINISH:
WH, BK, SN, CP, CH,
PB, BZ

**B1495CL-SN
SEMI-FROSTED SHOWER TRIM**



REFLECTOR FINISH:
CL, RG, W, MB, CP, SN

RING FINISH:
WH, BK, SN, CP, CH, PB, BZ

**B1491P-WH
PINHOLE WITH BAFFLE**



**AVAILABLE COLOR
COMBINATIONS:**
CP-CP, SN-SN, W-WH,
P-WH, P-BK


**B1492WH-BLUE
METROPOLITAN ICE LITE**



TRIM FINISH:
WH, BK, SN, CP, CH, PB

GLASS FINISH:
BLUE, PEACH, GREEN,
CLEAR, AMBER, FROSTED

**B1490WH-PEACH
METROPOLITAN ICE LITE**



TRIM FINISH:
WH, BK, SN, CP, CH, PB

GLASS FINISH:
BLUE, PEACH, GREEN,
CLEAR, AMBER, FROSTED

MAXILUME
ARCHITECTURAL LIGHTING

A division of
Elite Lighting

Submittal form is available @ www.maxilume.com
Tel: 323-888-1973 • Fax: 323-888-1977

Specifications and Dimensions
subject to change without notice.

REV: MAXILUME-SPEC-03-23-2011