

# RXS12PSS

[focusindustries.com/product/rxs12pss/](https://focusindustries.com/product/rxs12pss/)





**CONSTRUCTION:** 2.37" dia. X 4.25" Stainless Steel Cylinder Pendant, 4.5" Stainless Steel Canopy, or Flat Plate, 12" Stainless Steel Stem

**LENS:** High impact clear tempered flat glass  
Color Glass Lenses Available (see brochure for more information)

**LED:** 3w MR16 SS LED 36° (L24) 3000K, 50,000 hrs, 270 Lumen (12v)

**LED OPTION:** 3w MR16 SS LED 36° (L108) 3000K, 50,000 hrs, 270 Lumen (120v)

**LIFETIME RATING:** 50,000 hours

**SOCKET:** High temperature ceramic GU5.3 Bi-Pin with 250°C silicone lead wires

**WIRING:** Black 3ft 18/2 zip cord from base of fixture. For 25ft 16/2 fixture lead wire, add (-25F) to part number

**CONNECTION:** FA05 Quick Connect (not supplied) from fixture to main cable

**MOUNTING:** (P) 3" Round Stainless Steel Canopy, (P24) 4.5" Round Stainless Steel Canopy, (PFP) 4.5" Flat Plate

**FINISH:** Stainless Steel – Unfinished (Premium finishes available)  
(powder coat and acid finishes over Stainless Steel, are considered custom and non-returnable)

White Texture (-WTX)

Hunter Texture (-HTX)

Categories: [Hanging](#), [New Products](#), [Pendants](#) Tags: [Bar](#), [Brass](#), [Custom](#), [Entertainment](#), [Island](#), [led](#), [Pendants](#), [pendents](#), [Quality](#), [RXS](#), [RXS-13-P](#), [RXS13P](#), [RXS13PBRs](#), [Stainless Steel](#), [Stem](#)

Catalog No.	Description	Lamp
RXS12PL24SS	12v 2.37" dia. S 4.25" Stainless Steel Pendant, 3" Canopy, 12" Stem	3w MR16 SS LED
RXS12PFPL24SS	12v 2.37" dia. S 4.25" Stainless Steel Pendant, 4.5" Flat Plate, 12" Stem	3w MR16 SS LED
RXS12PFPL108SS	120v 2.37" dia. S 4.25" Stainless Steel Pendant, 4.5" Flat Plate, 12" Stem	3w MR16 SS LED
RXS12P24L24SS	12v 2.37" dia. S 4.25" Stainless Steel Pendant, 4.5" Canopy, 12" Stem	3w MR16 SS LED
RXS12P24L108SS	120v 2.37" dia. S 4.25" Stainless Steel Pendant, 4.5" Canopy, 12" Stem	3w MR16 SS LED