

RXS13PBRs

[focus industries.com/product/rxs13pbs/](https://focusindustries.com/product/rxs13pbs/)





CONSTRUCTION: 1.63" dia. X 3.00" Brass Cylinder Pendant

LENS: Frosted, high impact acrylic accent (S2)
Color Glass Lenses Available (see brochure for more information)

LED: 3w MR11 SS LED 40° (L68) 3000K, 50,000 hrs, 300 Lumen (12v)

LIFETIME RATING: 50,000 hours

SOCKET: High temperature ceramic G4 Bi-Pin with 250°C silicone lead wires

WIRING: Black 3ft 18/2 zip cord from base of fixture. For 25ft 16/2 fixture lead wire, add (-25F) to part number

CONNECTION: FA05 Quick Connect (not supplied) from fixture to main cable

MOUNTING: (P) 3" Round Brass Canopy (other options available)

FINISH: Brass – Unfinished (Acid & Premium finished available)
(powder coat and acid finishes over Brass, are considered custom and non-returnable)

Categories: Hanging, New Products, Pendants Tags: Brass, canopy, Custom, cylinder, Exterior, G4, GU4, led, led light source, Low Voltage, mr11, MR11LED, pendant, pendent, Rod, Round, RXS13PBRS, Stem

Catalog No.	Description	Lamp
RXS13PL68BRS	12v 1.63" dia. X 3.00" Brass Cylinder Pendent, 3" Canopy, 12" Stem	3w MR11 40° LED
RXS13PFPL68BRS	12v 1.63" dia. X 3.00" Brass Cylinder Pendent, 4.5" Flat Plate, 12" Stem	3w MR11 40° LED
RXS13P24L68BRS	12v 1.63" dia. X 3.00" Brass Cylinder Pendent, 4.5" Canopy, 12" Stem	3w MR11 40° LED