




Designed.
Manufactured.
In the USA

landscape • architectural • hospitality • entertainment • illumination


INTRODUCING

SL15 S2 LED STARLIGHT FIXTURES

HANGING & PENDANTS W/ FROSTED ACRYLIC ACCENTS



NEW ACCENTS



SAME FOCUS QUALITY.

Model Shown
SL1510S2AL24COP
Shown with Amber Accent

FOUR INCH HANGING & PENDENT FIXTURES

TEN INCH HANGING & PENDENT FIXTURES



SL15PS2L12COP



SL15S2L12BRS



SL1510PS2L24BRS




SL1510S2L24COP

NEW 4 INCH COPPER

SL15 STARLIGHT

PENDENT & HANGING FIXTURE WITH ACRYLIC ACCENT



Model Shown
SL15S2L12CAV

TO PLACE ORDERS – TOLL FREE (888)882.1350
ORDERS@FOCUSINDUSTRIES.COM

SL15PS2L12COP | SL15S2L12COP

4 INCH

SPECIFICATIONS

CONSTRUCTION: 2.5" Dia. X 4" Cylinder "Starlight" tube made of Copper, with matching Copper cap

LENS: Frosted / High impact acrylic Snoot

LAMP SUPPLIED: 3W Omni SC (L12), 3000K, 50,000 hrs

LAMP OPTIONS: 3W MR16 Super Saver 36° (L24), 3000K, 40,000 hrs

SOCKET: Single contact bayonet, brass nickel plated lamp socket screw shell (Ba15s)

WIRING: Black 3 foot 18/2 zip cord from base of fixture

For 25 foot 16/2 fixture lead wire add -25F to catalog number.

MOUNTING: 2.65" Dia. Copper Canopy

MOUNTING OPTIONS: 4.5" Copper Flat Plate, or 4.5" Dia. Copper Canopy (Pendent Only)

FINISH: Unfinished Copper

POWDER COAT OPTIONS AVAILABLE

*Powder coat finishes over Copper are custom and Non-Returnable



SL15PS2L12COP
(PENDENT)

SL15S2L12COP
(HANGING FIXTURE)

ORDERING INFORMATION

LAMP

SHIP WEIGHT

SL15PS2L12COP	2.5" Dia. 4" Copper Starlight Pendent w/ Acrylic Accent, 2.65" Copper Canopy	3w LED	2.0 lbs.
SL15P24S2L1COP	2.5" Dia. 4" Copper Starlight Pendent w/ Acrylic Accent, 4.5" Copper Canopy	3w LED	2.0 lbs.
SL15PFPS2L12COP	2.5" Dia. 4" Copper Starlight Pendent w/ Acrylic Accent, 4.5" Copper Flat Plate	3w LED	2.0 lbs.
SL15S2L12COP	2.5" Dia. X 4" Copper Starlight Hanging Fixture w/ Acrylic Accent, 2.65" Copper Canopy	3w LED	2.0 lbs.

ACCESSORIES

FA1133RED	2" OD Red Tempered Glass Lens
FA1133AMBER	2" OD Amber Tempered Glass Lens
FA1133GREEN	2" OD Dark Green Tempered Glass Lens
FA1133BLUE	2" OD Dark Blue Tempered Glass Lens

GLASS COLOR LENS OPTIONS:



-RED
(FA1133RED)



-AMBER
(FA1133AMBER)




-GREEN
(FA1133GREEN)



-BLUE
(FA1133BLUE)

DIMENSIONAL DRAWINGS



SL15PS2L12COP | SL15S2L12COP
(SHOWN WITH 3" CANOPY)

NEW 4 INCH BRASS

SL15 STARLIGHT

PENDENT & HANGING FIXTURE WITH ACRYLIC ACCENT



Model Shown
SL15P24S2L12BRS

TO PLACE ORDERS – TOLL FREE (888)882.1350
ORDERS@FOCUSINDUSTRIES.COM

SL15PS2L12BRS | SL15S2L12BRS

4 INCH

SPECIFICATIONS

CONSTRUCTION: 2.5" Dia. X 4" Cylinder "Starlight" tube made of Brass, with matching Brass cap

LENS: Frosted / High impact acrylic Snoot

LAMP SUPPLIED: 3W Omni SC (L12), 3000K, 50,000 hrs

LAMP OPTIONS: 3W MR16 Super Saver 36° (L24), 3000K, 40,000 hrs

SOCKET: Single contact bayonet, brass nickel plated lamp socket screw shell (Ba15s)

WIRING: Black 3 foot 18/2 zip cord from base of fixture

For 25 foot 16/2 fixture lead wire add -25F to catalog number.

MOUNTING: 3" Dia. Brass Canopy

MOUNTING OPTIONS: 4.5" Brass Flat Plate, or 4.75" Dia. Brass Canopy (Pendent Only)

FINISH: Unfinished Brass

POWDER COAT OPTIONS AVAILABLE

*Powder coat finishes over Brass are custom and Non-Returnable



SL15PS2L12BRS
(PENDENT)

SL15S2L12BRS
(HANGING FIXTURE)

ORDERING INFORMATION

LAMP SHIP WEIGHT

SL15PS2L12BRS	2.5" Dia. 4" Brass Starlight Pendent w/ Acrylic Accent, 3" Brass Canopy	3w LED	2.0 lbs.
SL15P24S2L12BRS	2.5" Dia. 4" Brass Starlight Pendent w/ Acrylic Accent, 4.5" Brass Canopy	3w LED	2.0 lbs.
SL15PFPS2L12BRS	2.5" Dia. 4" Brass Starlight Pendent w/ Acrylic Accent, 4.5" Brass Flat Plate	3w LED	2.0 lbs.
SL15S2L12BRS	2.5" Dia. X 4" Brass Starlight Hanging Fixture w/ Acrylic Accent, 3" Brass Canopy	3w LED	2.0 lbs.

ACCESSORIES

FA1133RED	2" OD Red Tempered Glass Lens
FA1133AMBER	2" OD Amber Tempered Glass Lens
FA1133GREEN	2" OD Dark Green Tempered Glass Lens
FA1133BLUE	2" OD Dark Blue Tempered Glass Lens

GLASS COLOR LENS OPTIONS:



-RED
(FA1133RED)



-AMBER
(FA1133AMBER)




-GREEN
(FA1133GREEN)



-BLUE
(FA1133BLUE)

DIMENSIONAL DRAWINGS



SL15PS2L12BRS | SL15S2L12BRS
(SHOWN WITH 3" CANOPY)

NEW 10 INCH COPPER

SL15 STARLIGHT

PENDENT & HANGING FIXTURE WITH ACRYLIC ACCENT



Model Shown
SL1510PS2L24COP

TO PLACE ORDERS – TOLL FREE (888)882.1350
ORDERS@FOCUSINDUSTRIES.COM

SL1510PS2L24COP | SL1510S2L24COP

10 INCH

SPECIFICATIONS

CONSTRUCTION: 2.5" Dia. X 10" Cylinder "Starlight" tube made of Copper, with matching Copper cap

LENS: Frosted / High impact acrylic Snoot

LAMP SUPPLIED: 3W MR16 Super Saver 36° (L24), 3000K, 50,000 hrs

LAMP OPTIONS: 5W MR16 Super Saver 36° (L36), 3000K, 40,000 hrs

7W MR16 Super Saver 36° (L48), 3000K, 40,000 hrs

SOCKET: High temperature ceramic GU5.3 Bi-Pin with 250° Silicone lead wires

WIRING: Black 3 foot 18/2 zip cord from base of fixture

For 25 foot 16/2 fixture lead wire add -25F to catalog number.

MOUNTING: 3" Dia. Copper Canopy

MOUNTING OPTIONS: 4.5" Copper Flat Plate, or 4.75" Dia. Copper Canopy (Pendent Only)

FINISH: Unfinished Copper

POWDER COAT OPTIONS AVAILABLE

*Powder coat finishes over Copper are custom and Non-Returnable

120V GU10 OPTION: PENDENTS ONLY

3W GU10 MR16 Super Saver LED 36° (L108), 3000K, 40,000 hrs

5W GU10 MR16 Super Saver 36° (L116) 3000K, 40,000 hrs

7W GU10 MR16 Super Saver 36° (L126), 3000K, 40,000 hrs

SOCKET: High temperature ceramic GU10 twist-and-lock base with 250° Silicone lead wires

MOUNTING: 4.5" Dia. Copper Flat Plate or 4.75" Dia. Copper Canopy Mount



ORDERING INFORMATION

LAMP SHIP WEIGHT

SL1510PS2L24COP	2.5" Dia. 10" Copper Starlight Pendant w/ Acrylic Accent, 2.65" Copper Canopy	3w LED	2.0 lbs.
SL1510P24S2L12COP	2.5" Dia. 10" Copper Starlight Pendant w/ Acrylic Accent, 4.5" Copper Canopy	3w LED	2.0 lbs.
SL1510PPFS2L12COP	2.5" Dia. 10" Copper Starlight Pendant w/ Acrylic Accent, 4.5" Copper Flat Plate	3w LED	2.0 lbs.
SL1510S2L24COP	2.5" Dia. 10" Copper Starlight Hanging Fixture w/ Acrylic Accent, 2.65" Copper Canopy	3w LED	2.0 lbs.

ACCESSORIES

FA1133RED	2" OD Red Tempered Glass Lens
FA1133AMBER	2" OD Amber Tempered Glass Lens
FA1133GREEN	2" OD Dark Green Tempered Glass Lens
FA1133BLUE	2" OD Dark Blue Tempered Glass Lens

GLASS COLOR LENS OPTIONS:



-RED
(FA1133RED)



-AMBER
(FA1133AMBER)




-GREEN
(FA1133GREEN)



-BLUE
(FA1133BLUE)

DIMENSIONAL DRAWINGS



SL1510PS2L24COP | SL1510S2L24COP
(SHOWN WITH 3" CANOPY)

NEW 10 INCH BRASS

SL15 STARLIGHT

PENDENT & HANGING FIXTURE WITH ACRYLIC ACCENT



Model Shown
SL1510P24S2RL24BRS
Shown with Red Accent

TO PLACE ORDERS – TOLL FREE (888)882.1350
ORDERS@FOCUSINDUSTRIES.COM

SL15PS2L12BRS | SL15S2L12BRS

10 INCH

SPECIFICATIONS

CONSTRUCTION: 2.5" Dia. X 10" Cylinder "Starlight" tube made of Brass, with matching Brass cap

LENS: Frosted / High impact acrylic Snoot

LAMP SUPPLIED: 3W MR16 Super Saver 36° (L24), 3000K, 50,000 hrs

LAMP OPTIONS: 5W MR16 Super Saver 36° (L36), 3000K, 40,000 hrs

7W MR16 Super Saver 36° (L48), 3000K, 40,000 hrs

SOCKET: High temperature ceramic GU5.3 Bi-Pin with 250° Silicone lead wires

WIRING: Black 3 foot 18/2 zip cord from base of fixture

For 25 foot 16/2 fixture lead wire add -25F to catalog number.

MOUNTING: 3" Dia. Brass Canopy

MOUNTING OPTIONS: 4.5" Brass Flat Plate, or 4.75" Dia. Brass Canopy (Pendent Only)

FINISH: Unfinished Brass

POWDER COAT OPTIONS AVAILABLE

*Powder coat finishes over Brass are custom and Non-Returnable

120V GU10 OPTION: PENDENTS ONLY

3W GU10 MR16 Super Saver LED 36° (L108), 3000K, 40,000 hrs

5w GU10 MR16 Super Saver 36° (L116) 3000K, 40,000 hrs

7W GU10 MR16 Super Saver 36° (L126), 3000K, 40,000 hrs

SOCKET: High temperature ceramic GU10 twist-and-lock base with 250° Silicone lead wires

MOUNTING: 4.5" Dia. Brass Flat Plate or 4.75" Dia. Brass Canopy Mount



ORDERING INFORMATION

LAMP SHIP WEIGHT

Model	Description	Lamp	Ship Weight
SL1510PS2L24BRS	2.5" Dia. 10" Brass Starlight Pendant w/ Acrylic Accent, 3" Brass Canopy	3w LED	2.0 lbs.
SL1510P24S2L12BRS	2.5" Dia. 10" Brass Starlight Pendant w/ Acrylic Accent, 4.5" Brass Canopy	3w LED	2.0 lbs.
SL1510PFPS2L12BRS	2.5" Dia. 10" Brass Starlight Pendant w/ Acrylic Accent, 4.5" Brass Flat Plate	3w LED	2.0 lbs.
SL1510S2L24BRS	2.5" Dia. 10" Brass Starlight Hanging Fixture w/ Acrylic Accent, 3" Brass Canopy	3w LED	2.0 lbs.

ACCESSORIES

FA1133RED	2" OD Red Tempered Glass Lens
FA1133AMBER	2" OD Amber Tempered Glass Lens
FA1133GREEN	2" OD Dark Green Tempered Glass Lens
FA1133BLUE	2" OD Dark Blue Tempered Glass Lens

GLASS COLOR LENS OPTIONS:



-RED
(FA1133RED)



-AMBER
(FA1133AMBER)




-GREEN
(FA1133GREEN)



-BLUE
(FA1133BLUE)

DIMENSIONAL DRAWINGS



SL1510P24S2L24BRS | SL1510S2L24BRS
(SHOWN WITH 4.75" Canopy & 3" Canopy)

MOUNTING AND ACCESSORIES

MOUNTING OPTIONS:

PENDENTS



(FA24MDSPUNCOP)
2.65 BRASS CANOPY
MOUNT
12V or 120V



(FA24LP3BRS)
BRASS CANOPY MOUNT
12V or 120V



(FA24LGCOP)
BRASS CANOPY MOUNT
12V or 120V



(FA24LGBR)
BRASS CANOPY MOUNT
12V or 120V



(FP)
COPPER FLAT PLATE
MOUNT
12V or 120V



(FP)
BRASS FLAT PLATE
MOUNT
12V or 120V

HANGING FIXTURES



(RPSL06LOOP)
FOR BRASS LOOP
12V



(RPSL06LOOP)
FOR BRASS LOOP
12V



(FA24MDSPUNCOP)
2.65 BRASS CANOPY MOUNT
12V



(FA24LP3BRS)
BRASS CANOPY MOUNT
12V



(RP112)
12" BRASS OR COPPER
HANGING CHAIN
12V

GLASS COLOR LENS OPTIONS:



FROSTED ACRYLIC ACCENT SNOOTS:



FINISH OPTIONS

POWDER COAT FINISHES												BRASS & COPPER FINISHES						
BLACK SEMI GLOSS	BLACK TEXTURE	BRONZE TEXTURE	CAMEL	CHROME POWDER	HUNTER GREEN TEXTURE	RUBBED VERDE	RUST	WHITE TEXTURE	WEATHER BROWN	WEATHER IRON	STUCCO	WHITE GLOSS	POWDER COAT FINISHES	BLACK MAGIC	DARK BRONZE	BRASS ACID RUST	BRASS ACID VERDE	BLACK ACID TREATMENT
-BLK	-BLT	-BRT	-CAM	-CPR	-HTX	-RBV	-RST	-WTX	-WBR	-WIR	-STU	-WHT	NEW	NEW	-BAR	-BAV	-BAT	
												COPPER ACID RUST		COPPER ACID VERDE				

* Powder Coat Finishes over Brass / Copper are custom and **Non-Returnable**



DESIGNED,
MANUFACTURED,
IN THE USA



25301 Commercentre Drive, Lake Forest, CA. 92630
(949) 830-1350 | (888)882-1350 | www.focusindustries.com

TO PLACE ORDERS - TOLL FREE (888)882.1350
ORDERS@FOCUSINDUSTRIES.COM

FOR MORE INFORMATION
MARKETING@FOCUSINDUSTRIES.COM