

VGA Plug-n-Play 15-pin to 8-pin Connections

The most innovative approach to VGA termination, saving valuable time on the job site.



Quantity	Straight 180°	Angled 45°	Angled 90°	8" Tail
1-Pack	15S6P1	15A6P1	15N6P1	15T6P1
10-Pack	15S6P10	15A6P10	15N6P10	15T6P10

VGA Plug-n-Play Horizontal Runs

Description	Catalog No.
VGA, 8-pin M to 8-pin M, Non-Plenum	VGA6**BK
VGA, 8-pin M to 8-pin M, Plenum	VGA6P**BK
VGA, 8-pin M to 15-pin F, Non-Plenum	VG15F6**BK
VGA, 8-pin M to 15-pin M, Non-Plenum	VG15M6**BK
VGA, 8-pin M to 15-pin M, Plenum	VG15MP6**BK

**=Length 05, 10, 15, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100



Being able to aesthetically provide all the connections together, with a consistent look, is as important as the connections themselves.

The **iSTATION™** products provide a consistent and practical solution for delivering all types of AV connections where you need them:

- On the wall.
- In the wall.
- On the floor.
- In the floor.
- In the table.
- On a rack.
- In a cabinet.

The **iSTATION™** uses a "one system" approach that makes it straightforward and effortless to add connectors and maintain a uniform look across all systems.

9-/15-pin Connectors

HDMI Couplers

Screw Terminal	Gender Changer	HDMI Coupler	HDMI 3" Tail
9-pin 10-pk 9ST10	9-pin 10-pk 9GC10	Gold, Female-Female	Gold, Female-Female
15-pin 10-pk 15ST10	15-pin 10-pk 15GC10	1-pk HDMIC1	1-pk HDMIT1
		10-pk HDMIC10	10-pk HDMIT10
	Gender Changer, 15-pin, 90°		DVI to HDMI Adapter, Female-to-Female
	1-pk 15901	1-pk DVIHDMI1	
	10-pk 159010		

HDMI 15-/9-pin Modules and Accessories

HDMI Horizontal Runs and Device Patch Cords

HDMI 15 or 9-pin Blank Module, 1 Unit	HDMI 15/9-pin Blank Module, Angled, 1.5 Unit	Description	Catalog No.
Color: See Chart	Color: See Chart	Patch Cords, 24AWG	
10-pk IMBDS1XX	1-pk IMBDSA15XX	3', Black	HDPC03BK
		6', Black	HDPC06BK
Other Blank Modules			
HDMI 15 or 9-pin, Pro-AV, 3.5mm Stereo Blank Module, 2 Unit (1-pk)		Horizontal Cords (connector-to-connector)	
Color: See Chart	IMB153X2XX	Black, Length-see below	HDH**BK
HDMI 15-/9-pin, 3.5mm Stereo, Blank Module, 1.5 Unit (1-pk)			
Color: See Chart	IMB15315XX	Link Cords, 24AWG (connector-to-device)	
HDMI 15-/9-pin, Decorator Frame, Blank Module, 1-Gang (1-pk)		Black, Length-see below	HDL**BK
Color: See Chart	ISFB15XX		
		Coupler Cords, 24AWG (coupler-to-device)	
		Black, Length-see below	HDC**BK

** = "10"=10'; "15"=15'; "20"=20'; "25"=25'; "30"=30'. Black and non-plenum only.

DVI Adapters/Couplers

DVI-I Coupler	DVI to VGA Adapter
1-pk DVI1	Female-Female
10-pk DVI10	1-pk DVI151
DVI Blank, Unloaded, 1.5 U	
1-pk IMBDVI15XX	
10-pk IMBDVI1015XX	
DVI to HDMI Adapter	
1-pk DVIHDMI1	

XX Housing Color Code

Almond=AL	L. Almond=LA	Black=BK	Electric Ivory=EI	Gray=GY	Office White=OW	White=W

RCA Connectors



110 Punch Down
Housing: Black
Insulator: Blue, Green, Red, White, Yellow.
SFRC110XX



RCA Solder
Housing: Office White
Insulator: Black
SFRC
Housing: Office White
Insulator: Blue, Green, Orange.
SFRCXXOW
Housing: Office White
Insulator: Red, White, Yellow.
SFRCXX
Housing: See Chart
(except Office White)
Insulator: See Chart
SFRCBXXXX

XX = Insulator Color:



Gold Pass-Thru F/F
Housing: Office White
Insulator: Black, Red, White, Yellow.
SFRCXXFF
Housing: Office White
Insulator: Blue, Green, Orange.
SFRCXXFFOW
Housing: See Chart
(except Office White)
Insulator: See Chart
SFRCXXFFXX



Gold Pass-Thru F/F, Recessed
Housing: See Chart
Insulator: See Chart
SFRCXXRXX

S-Video Connectors



S-Video to 110
Housing: See Chart*
SFSV110XX
* All colors available except for Lt. Almond.



S-Video Pass-Thru
Housing: See Chart*
SFSVXX

Stereo Jack Connectors



3.5mm Solder
Housing: See Chart
SF35SJXX



3.5mm Screw Term
Housing: See Chart
SF35STXX



Pass-Thru, F/F
Housing: See Chart
SF35FFXX Nickel
SF35GFFXX Gold



1/4" Solder
Housing: See Chart
SF14SJXX

Bulk, 3.5mm 10-Pk
Solder **35S10**
Feed-Thru **35FF10**
Screw Term **35ST10**



Blank Connectors



Blank, 10-Pk
Almond **SFBAL10** Lt. Almond **SFBLA10**
Black **SFBB10** Office White **SFB10**
Gray **SFBG10** White **SFBW10**
Elec. Ivory **SFBE10**

USB Connectors



A to A, 2.0
Blue **SFUSBAAB**
Office White **SFUSBAAOW**
White **SFUSBAAW**



A to B, 2.0
Blue **SFUSBABB**
Office White **SFUSBABOW**
White **SFUSBABW**

6-Pin DIN Connectors



Keyboard, Pass-Thru
Black **SF6PK**



Monitor, Pass-Thru
Black **SF6PM**

F-type Connectors



Pass-Thru F/F
Housing Cat. No.
Almond **SFFALX**
Black **SFFBX**
Elec. Ivory **SFFEX**
Gray **SFFGX**
Lt. Almond **SFFLAX**
Office White **SFFX**
White **SFFWX**



Gold Pass-Thru F/F
Housing: Office White
SFFGX



Gold Pass-Thru F/F, Recessed
Housing: Office White
SFGRFXX



RCA to F-type, Gold Pass-Thru F/F
Housing: See Chart*
SFRFGXX
* Does not include Almond or Light Almond.

RG59 Male to RG6 Female
Use with Recessed F-type
10-pk **RG59A10**

Speaker Post Connectors, Gold



Black, Screw Term
Housing: Office White
SFSPGBK
Housing: See Chart
SFSPGBKXX



Red, Screw Term
Housing: Office White
SFSPGR
Housing: See Chart
SFSPGRXX



Banana Plug, Black 10-pk
SPPBK10



Banana Plug, Red 10-pk
SPPR10

BNC Connectors, 75 Ohm



Pass-Thru, F/F
Housing: See Chart
SFBXX



Gold, Pass-Thru, F/F
Housing: See Chart
SFBGXX

Inline Data Couplers



Cat 5e, Pass-Thru
Black **SFC5EBK**
White **SFC5EW**



Cat 5e, Cross Over 10/100BASE-T, F/F
Gray **SF5ECGY**

XCELERATOR™ Jacks



10GbE
Black **HXJ6A***



Category 6
Gray **HXJ6***



Category 5e
Black **HXJ5E***



USOC
Gray **HXJU***

* Colors = "AL"=Almond; "BK"=Black; "B"=Blue; "EI"=Electric Ivory; "GY"=Gray; "GN"=Green; "LA"=Light Almond; "OR"=Orange; "R"=Red; "OW"=Office White; "W"=White; "Y"=Yellow.

XX Housing Color Code

Almond=AL	L. Almond=LA	Black=BK	Electric Ivory=EI	Gray=GY	Office White=OW	White=W

iSTATION™ Multimedia Modules



Composite Solder
Color chart below; 1 U
IM3RS1XX



Component Solder
Color chart below; 1 U
IMCRS1XX



Composite Video, 3.5mm Stereo, Solder
Color chart below; 1 U
IMRSJ1XX



Component Solder
Color chart below; 1.5 U
IMCRS15XX



Composite Feed-Thru
Color chart below; 1 U
IM3RF1XX



Component Feed-Thru
Color chart below; 1 U
IMCRF1XX



110 Term Audio
Color chart below; 1 U
IMAR1101XX



110 Term Component Video
Color chart below; 1 U
IMCR1101XX



110 Term Composite AV
Color chart below; 1 U
IMR1101XX



110 Term, S-Video with Audio
Color chart below; 1 U
IMSR1101XX



110 Term, S-Video, 3.5mm Stereo
Color chart below; 1 U
IMSV351101XX



Screw Term VGA, Solder 3.5mm Stereo
Color chart below; 1.5 U
IM15315XX



Screw Term XLR, VGA 3.5mm Stereo, 2 U
IM153X2OW



Speaker Post, Screw Term
Color chart below; 1 U
IMSP1XX

Pro-AV Connectors



1394 FireWire, Feed-Thru
10-pk **139410**



1/4" Locking Stereo, Solder
10-pk **14S10**



2-pole Speakon®, Solder
10-pk **SC10**



XLR 3-pole, Solder
10-pk **XLR10**



XLR, 3-pole, Screw Term
10-pk **XLRST10**



USB, A-to-B Feed-Thru
10-pk **USB10**



Pro-AV Blank Module, 1.5 Unit
Module: See Chart
IMAVB15XX

iSTATION™ Plates and Frames



PREMISETRAK® Raceway Bezel
Color: Office White
MTPIMBZOW

IMF1OW MTPIMBZOW

iSTATION™ Plate
Color: See Chart
1-gang **IMF1XX**
2-gang **IMF2XX**

iSTATION™ Bezel
For 3rd party Raceway
Color Catalog No.
Gray **HWAPLGY**
Office **HWAPLOW**
White **HWAPLW**

Unloaded Keystone/SC/Pro-AV Modules



SC Angled
Color: See Chart**
1-port, 1 Duplex, 1.5 Unit
IM1SCA15XX
2-port, 2 Duplex, 2 Unit
IM2SCA2XX



Keystone Angled
Color: See Chart*
1-port, 1.5 Unit
IM1KA15XX
2-port, 1.5 Unit
IM2KA15XX



Keystone Flat, 1 Unit
Color: See Chart*
1-port **IM1K1XX**
2-port **IM2K1XX**



Keystone Recessed, Angled, 1.5 Unit
Color: See Chart**
1-port **IM1IA15XX**
2-port **IM2IA15XX**



Blank Modules
Color: See Chart*
0.5 Unit **IMB05XX**
1 Unit **IMB1XX**
1.5 Unit **IMB15XX**



Pro-AV, 1.5 Unit
Module: See Chart
IMAVB15XX

Multimedia Panels



iSTATION™ Panel, Rack Mount, Unloaded

Format	Height	Ports	Catalog No.
Angled	1U	16	UDXAM16
Angled	2U	48	UDXAM48
Flat	1U	16	UDXIS1U
Flat	2U	48	UDXIS2U



UDX Jack Panel, Rack Mount, Unloaded

Format	Height	Ports	Catalog No.
Angled	1U	24	UDXA24
Angled	2U	48	UDXA48
Flat	1U	16	UDX16E
Flat	1U	24	UDX24E
Flat	1U	36	UDX36E
Flat	1U	48	UDX48E1U
Flat	2U	48	UDX48E



UDX Pro-AV Panel, Rack Mount, Unloaded


Height	Ports	Cat. No.
1U	16	PAV16
2U	32	PAV32

Raceway Systems Metal and Non-Metallic



Hubbell offers a full line of AV friendly Metallic and Non-Metallic raceway. For more information visit our web site www.hubbell-premise.com or call 1-800-626-0005 for a free Delivery Systems catalog.

XX Housing Color Code




Almond=AL



L. Almond=LA



Black=BK



Electric Ivory=EI



Gray=GY



Office White=OW



White=W

Hubbell SystemOne Delivery Products



Multi-Service Floor Box, Round

Material	Catalog No.
PVC	S1PFB
Stamped Steel	S1SFB
Stamped Steel AV	S1SFBV
Cast Iron	S1CFB

Poke-Throughs, 1-Piece

Finish	Catalog No.
AV	S1PT3IM*
Decorator	S1PT*
4x4	S1PT4X4*
Furniture Feed	S1PTFF*

* Add the following suffix for finish:
"AL"=Aluminum; "BRS"=Brass;
"BL"=Black; "GY"=Gray.

Poke-Through Floor Fittings

2-Channel	Catalog No.
4x4	S1PT4X4FIT
AV	S1PTAVFIT



SystemOne Covers

Assembly	Cat. No.
Universal Carpet	S1CFC*
Universal Tile	S1TFC*
Furniture Feed Carpet	S1SPFF*

Sub-Plates

	Cat. No.
Datacom	S1SP4IM
4x4	S1SP4X4
Decorator	S1SP
iSTATION	S1SP3IM

+ Power
Twist-Lock
+ Data

Duplex/Duplex
S1SPDU

Duplex/Decorator
S1SPDUSL

Datacom/Duplex
S1SPDU2IM

Datacom/Decorator
S1SPSL2IM

* Add the following suffix for finish:
"AL"=Aluminum;
"BL"=Black; "BRS"=Brass;
"I"=Ivory; "GY"=Gray.

Extron® and FSR Plates

Cat. No.
MAAP **S1SPEXT1**

+ Power
AAP **S1SPEXT2**

+ Power
Datacom **S1SPEXT3**

AAP + **S1SPEXT4**

Power + Data

Hubbell Raised Access/Concrete Floor Boxes

Floor Box, Raised Access

Stamped Steel	Catalog No.
Size	
4-gang, Deep	AFB301**
4-gang, Shallow	AFB401**
8-gang, Deep	AFB501**
4-gang, Deep	HBLAFB301BASE*
4-gang, Shallow	HBLAFB401BASE*
8-gang, Deep	HBLAFB501BASE*
Plastic Cover	Catalog No.
4-gang Deep	HBLAFB101**

* City of Chicago approved, construction meets requirements for CCEA-2000.
** Add GNT=Granite or BK=Black. All floor boxes include covers.

Cover Assembly

Steel cover and flange assembly for replacement. Reversible for tile or carpet.

Color	Catalog No.
Black	HBLTCGNTBK
Granite	HBLTCGNT



Floor Box, Concrete

Stamped Steel	Catalog No.
Size	
4-gang, Deep	HBLCFB301BASE
4-gang, Shallow	HBLCFB401BASE
8-gang, Deep	HBLCFB501BASE

Cast Iron

Size	Catalog No.
4-gang, Shallow	HBLCFB401CB

Scrub Water Cover Assembly

Metallic cover and flange assembly.

Color	Catalog No.
Black	HBLTCGNTBKS
Granite	HBLTCGNTSW

NOTE: For carpeted floors only (accepts carpet or tile insert).


Multi-Connect - Recessed Wall Boxes

Multi-Service, Recessed Boxes

Gang	Material	Catalog No.
1	Steel	HBLWSCS1
2	Steel	HBLWSCS2
3	Steel	HBLWSCS3
4	Steel	HBLWSCS4
6	Steel	HBLWSCS6
Separation Barrier:		HBLSCSBW

Low-Voltage, Recessed Boxes

Gang	Material	Catalog No.
2	Steel	HBLWSCS2MMO
3	Steel	HBLWSCS3MMO
4	Steel	HBLWSCS4MMO
6	Steel	HBLWSCS6MMO



Trim Rings for Multi-Connect Boxes (see below for more plate options)

Color	1-Gang	2-Gang	3-Gang	4-Gang	6-Gang
Cat. No.	Cat. No.	Cat. No.	Cat. No.	Cat. No.	Cat. No.
See Chart	HBLTRIM1W	HBLTRIM2W	HBLTRIM3W	HBLTRIM4W	HBLTRIM6W

Add the following suffix for: "BK"=Black; "GY"=Gray; "I"=Ivory; "WA"=White.


Plates for Multi-Connect Wall Boxes, Raised Access/Concrete Floor Boxes and Furniture Connectivity Boxes

Description

Description	Catalog No.*
Duplex	HBLST302SXX
Decorator	HBLDE301SXX
Toggle	HBLTO310SXX
Blank	HBLBL300SXX
6-Port	HBL317SXX
iSTATION™	HBLIMFSXX
1.39" Boss	HBLTL319SXX
1.56" Boss	HBLTL318SXX

XX = color: "BK"=Black; "GY"=Gray; "I"=Ivory; "WA"=White.

* For snap in type face plates delete "S". This is an option for Multi-Connect only.



Hubbell Furniture Connectivity Boxes

Square, Flush Mount Boxes

Gang	Finish	Catalog No.
2	Black	HBLSHA2
2	Stainless	HBLSHA2BSS

Rectangular, Flush Mount Boxes

Gang	Finish	Catalog No.
2	Black	HBLPHA2
4	Black	HBLPHA4
2	Stainless	HBLPHA2BSS
4	Stainless	HBLPHA4BSS

Recessed Mount Boxes

Gang	Finish	Catalog No.
2	Black	HBLMIR2
4	Black	HBLMIR4

Under Desk Mount Boxes

Gang	Finish	Catalog No.
2	Black	HBLMAR2
3	Black	HBLMAR3

Surface Mount Boxes

Gang	Finish	Catalog No.
2	Black	HBLCON2
4	Black	HBLCON3



Hubbell Premise Wiring

HUBBELL INCORPORATED (Delaware)

14 Lord's Hill Road • Stonington, CT 06378-0901 • (860) 535-8326 • 800-626-0005

Fax: (860) 535-8328 • Internet site: <http://www.hubbell-premise.com>

Worldwide Locations

Hubbell Premise Wiring, Asia Pacific
Hubbell Canada Inc.
Hubbell Premise Wiring, Central America
Hubbell Premise Wiring, China
Hubbell Premise Wiring, Europe
Hubbell Premise Wiring, India
Hubbell Int'l. Inc., Korea Branch

852-2836-7131
905-839-1138
506-309-4158
86-21-6374 2660
44-01283 500500
91-80-4022-4089
(82 2) 2607 1363

Fax: 852-2836-7132
Fax: 905-839-9108
Fax: 506-260-1616
Fax: 86-21-6374 2799
Fax: 44-01283 500400
Fax: 91-80-4022-4033
Fax: (82 2) 2603 7386

Hubbell Premise Wiring, Latin America
Hubbell de Mexico, S.A. de C.V.
Hubbell Premise Wiring, Middle East
Hubbell Premise Wiring, Puerto Rico
Hubbell-Taian Co., Ltd., Taiwan
Hubbell Premise Wiring, Venezuela

305-408-4501
(5255) 9151-9999
971-4-393-4192
787-855-1075
886-2-2522-1862
58-212-5156482

Fax: 305-408-8201
Fax: (5255) 9151-9989
Fax: 971-4-393-4194
Fax: 787-855-3265
Fax: 886-2-2522-1872
Fax: 58-212-6627258