

SYLVANIA Luminaires

Shop Light

Application

The SYLVANIA Shop Light is designed to replace traditional fluorescent fixtures in residential applications. Easy to install, this luminaire is sold with mounting accessories including the relevant chains, hooks, and connectors. Offered with a built in five foot on/off chain, and linkable up to four units, the Shop Light provides uniform light distribution ideal for workshops, garages, and other general lighting applications.

Benefits and Features

- Easy installation with convenient plug
- ENERGY STAR® listed to maximize rebate opportunities
- Accessories included:
 - 4 foot: Chains, hooks, and brackets – 3 in 1
 - 3 foot: Chains and hooks
- Durable aluminum housing with diffuse curved lens and 5 foot plug-in cord
- Up to 100 LPW
- 4000K color temperature
- CRI >80
- Offered in 3 foot (single tube 30W) and 4 foot (double tube 42W) versions
- Energy savings up to 39%
- Linkable:
 - 4 foot = Up to 4 items in a row
 - 3 foot = Up to 8 items in a row

Electrical

- The luminaire is designed to operate through 120V_{AC}
- Power Factor >90%
- THD <20%
- Non-dimmable

Rated Life

- 50,000 hours (L₇₀)

Warranty

- 5-year

Certifications and Listings

- cETLus
- RoHS
- FCC
- ENERGY STAR®

Item #
Type
Project
Notes
Date



Wattage Comparison

Traditional Source	Traditional System Wattage	LED System Wattage	Energy Savings
2 x 32W T8	56	42	25%
2 x 28W T8	49	30	39%

Installation

- Luminaire mounts to recessed outlet box or can be surface or suspension mounted.




Ordering Guide

LEDSHOP	/	120	/	XX	8	40	/	XFT	/	G2
Product Name		Voltage		Wattage	CRI	Color Temp		Length		Generation
LEDSHOP =		120 = 120V		42 = 42 Watts	8 = >80	40 = 4000K		4 = 4 feet		G2 = Second
LED Shop Light				30 = 30 Watts				3 = 3 feet		Generation

Ordering Information


Item Number	Ordering Abbreviation	Power (W)	Base Type	Input Voltage (V)	Average Life (hrs)	CCT	Case Qty	Typical Lumens (lm)	CRI	Power Factor	Bulb Finish	ENERGY STAR®	T20	T24
61451	LEDSHOP/120/42840/4FT/G2	42	Plug in	120	50,000	4000K	6	4200	>80	>90%	Frosted	Yes	No	No
61452	LEDSHOP/120/30840/3FT	30	Plug in	120	50,000	4000K	6	3000	>80	>90%	Frosted	Yes	No	No

Photometric Data



Physical Information

Luminaire Description	(A) Length (in)	(B) Width (in)	(C) Height (in)
LEDSHOP/120/42840/4FT/G2	47.7	4.25	1.22
LEDSHOP/120/30840/3FT	35.7	2.48	1.33



Additional Specifications

- Suitable for use in closets, compliant with NFPA 70, NEC section 410.16 (A)(3) and 410.16 (C)(5).

LEDVANCE LLC
200 Ballardvale Street
Wilmington, MA 01887 USA
Phone 1-800-LIGHTBULB (1-800-544-4828)
www.sylvania.com

SYLVANIA and LEDVANCE are registered trademarks.
All other trademarks are those of their respective owners.
Licensee of product trademark SYLVANIA in general lighting.
Specifications subject to change without notice.



Name:	<input type="text"/>
Email:	<input type="text"/>
Phone:	<input type="text"/>

