LEVITON®

RENU® WALLPLATES & INSERTS

Renu® Wallplates & Inserts

Renu® is Leviton's smart electrical and data connectivity screwless wallplate system. These QuickPort® compatible wallplates snap on and off quickly and easily with no tools, simplifying installation and ongoing maintenance. Choose from wallplates and inserts in White On White, Navajo Sand, and Onyx Black.

Features and Benefits

- Inserts accept all QuickPort® connectors
- Screwless wallplates easily snap on to any Renu® insert or device
- Slightly larger size covers wall imperfections
- Tongue and groove design simplifies alignment in multi-gang installations
- Adapter ring allows use of Decora® device with Renu® wallplates
- Available in three standard colors to coordinate with the commercial-grade QuickPort® line (White, Light Almond, Black)
- Additional wallplate colors for switches, dimmers, and outlets available; visit leviton.com/renu
- cULus Listed

A   B   C   D   E   F

Renu® Wallplates and Inserts

	Description	White on White	Navajo Sand	Onyx Black
[A]	Snap-In Blank Module	RE640-BWW	RE640-BNS	RE640-BOB
	Four-Gang Wallplate	REWP4-0WW	REWP4-0NS	REWP4-0OB
	Three-Gang Wallplate	REWP3-0WW	REWP3-0NS	REWP3-0OB
[B]	Dual-Gang Wallplate	REWP2-0WW	REWP2-0NS	REWP2-0OB
[C]	Single-Gang Wallplate	REWP1-0WW	REWP1-0NS	REWP1-0OB
[D]	6-Port Insert	RE640-WW6	RE640-NS6	RE640-OB6
[E]	4-Port Insert	RE640-WW4	RE640-NS4	RE640-OB4
	3-Port Insert	RE640-WW3	RE640-NS3	RE640-OB3
[F]	2-Port Insert	RE640-WW2	RE640-NS2	RE640-OB2
	1-Port Insert	RE640-WW1	RE640-NS1	RE640-OB1

Renu® Wallplate and 2-Port Insert with QuickPort® Connectors

Color Choices Renu® QuickPort® datacom inserts are offered in three colors. Renu® wallplates are available in many other colors found in **Section S**.

White On White   Navajo Sand   Onyx Black

Renu® Wallplates

Renu® Wallplates snap directly onto the Renu® devices for seamless style. If you decide to change color schemes, you can easily snap off the wallplate and snap on a new one. Choose from 20 designer color wallplates, and stainless steel appearance, to find the perfect combination. The large selection makes it easy to find the right color so the device can blend in or contrast against the existing décor. These wallplates are slightly larger than standard sized ones to help cover wall imperfections and are available in one-, two-, three-, and four-gang models.

Features and Benefits

- Exclusive for all Renu® devices
- Screwless, snap-on wallpate
- Does not contain a subplate, simply snap onto Renu® device
- Available in 20 popular colors and stainless steel appearance finish to match any décor
- Slightly larger than standard wallplates to help cover wall imperfections
- 1-, 2-, 3- and 4-gang wallplates available
- Renu® adapter ring REA00* (sold separately) allows any Decora® device to fit into a Renu® wallplate
- Backed by a limited 5-year warranty

Renu® Samples

Renu® Colors

Note: Only wallplates are available in the stainless steel appearance finish. To order colors, add suffix to Cat. No.

|			
White on White (-WW)	Dapper Tan (-DT)	Pebble Gray (-PG)	Toasted Coconut (-TC)
Onyx Black (-OB)	Deep Garnet (-DG)	Prairie Sage (-PS)	Walnut Bark (-WB)
Navajo Sand (-NS)	Fresh Pink Lemonade (-FP)	Red Delicious (-RE)	Warm Caramel (-WC)
Café Latte (-CA)	Gold Coast White (-GC)	Rich Navy (-RN)	Whispering Wheat (-WG)
Corn Silk (-CS)	Granny Smith Apple (-GS)	Sea Spray (-SE)	Wood Smoke (-WS)
			Stainless Steel Appearance (-STS)

Not for use with standard Decora® devices without the "Renu®" Adapter Frame

Renu® Wallplates

| Description	Cat. No.	Color	
1-Gang Screwless Snap-On Wallplate	REWP1	WW, OB, NS, CA, CS, DT, DG, FP, GC, GS, PG, PS, RE, RN, SE, TC, WB, WC, WG, WS	
1-Gang Screwless Snap-On Wallplate, in Stainless Steel Appearance	REWM1	STS	
2-Gang Screwless Snap-On Wallplate	REWP2	WW, OB, NS, CA, CS, DT, DG, FP, GC, GS, PG, PS, RE, RN, SE, TC, WB, WC, WG, WS	
2-Gang Screwless Snap-On Wallplate, in Stainless Steel Appearance	REWM2	STS	
3-Gang Screwless Snap-On Wallplate	REWP3	WW, OB, NS, CA, CS, DT, DG, FP, GC, GS, PG, PS, RE, RN, SE, TC, WB, WC, WG, WS	
4-Gang Screwless Snap-On Wallplate	REWP4	WW, OB, NS, CA, CS, DT, DG, FP, GC, GS, PG, PS, RE, RN, SE, TC, WB, WC, WG, WS	

## Wiring Diagrams for Wallplates

1-Gang Wallplate

0.36 (9.2)
4.72 (120.0)
3.07 (78.0)

2-Gang Wallplate

0.36 (9.2)
4.72 (120.0)
4.96 (126.0)

3-Gang Wallplate

0.36 (9.2)
4.72 (120.0)
6.77 (172.0)

4-Gang Wallplate

0.36 (9.2)
4.72 (120.0)
8.58 (218.0)

Not for use with standard Decora® devices without the "Renu®" Adapter Frame