



M1626-PLW

15 Amp Lev-Lok® Decora Plus Duplex Receptacle/Outlet, Hospital Grade, Power Indication, Self-Grounding

Lev-Lok Decora Plus Duplex Receptacle Outlet, Extra Heavy-Duty Hospital Grade, Power Indication, Smooth Face, 15 Amp, 125 Volt, Modular, NEMA 5-15R, 2-Pole, 3-Wire, Self-Grounding - White

Mating Lev-Lok Wiring Module Required for Use


Color :  White

UPC Code : 078477442975

Country Of Origin : Mexico

NEMA :  5-15R

Available Colors :



[Calculate
Time &
Money
Saved with
the Lev-Lok
Savings
Calculator!](#)

Technical Information

AC Horsepower Ratings

Horsepower Rating : 1/2 HP

Electrical Specifications

Amperage : 15 A

Current Interrupting : Certified for current interrupting at full rated current

Dielectric Voltage : Withstands 2000V per UL498

Grounding : Self-Grounding

Maximum Working Voltage : 125V as rated

Pole : 2

Temperature Rise : Max 30C after 250 cycles OL at 200 percent rated current

Voltage : 125 VAC

Wire : 3

Environmental Specifications

Flammability : Rated V-2 per UL94

Operating Temperature : -40° C to 60°C

Material Specifications

Base Material : Nylon

Cover Material : Nylon

Ground Clips : Nickel-Plated Brass

Line Contacts : 0.040" Thick Solid Brass

Locking Pins : Solid Brass

Mounting Screws : Triple
Combination Head, Steel

Mounting Strap : Single Piece
Nickel-Plated Brass with
integral ground contact

Mechanical Specifications

Product ID : Ratings are
permanently marked on device

Termination : Modular

Product Features

Brand : Lev-Lok Decora Plus

Color : White

Device Type : Duplex
Receptacle Outlet

Feature 3 : Power Indication

Feature 4 : Smooth Face

Grade : Extra Heavy-Duty
Hospital Grade

NEMA : 5-15R

Standards and Certifications

ANSI : C-73


NEMA : WD-1 & WD-6

NOM Certified : 057

Warranty : 10-Year Limited

cULus : Listed

Wiring Diagram



Leviton Manufacturing Co., Inc

201 North Service Road, Melville, NY 11747

Telephone: +1-800-323-8920 · FAX: +1-800-832-9538 · Tech Line (8:30AM-7:30PM E.S.
T. Monday-Friday): +1-800-824-3005

Leviton Manufacturing of Canada, Ltd.

165 Hymus Boulevard, Pointe Claire, Quebec H9R 1E9 · Telephone: +1-800-461-2002 ·
FAX: +1-800-824-3005 ·

Leviton S. de R.L. de C.V.

Lago Tana 43, Mexico DF, Mexico CP 11290 · Tel.: (+52)55-5082-1040 · FAX: (+52)
5386- 1797 ·

Visit our Website at: www.leviton.com

© 2025 Leviton Manufacturing Co., Inc. All Rights Reserved. Subject to change without
notice.

Leviton has a global presence.

If you would like to know where your local Leviton office is located please go to:

www.leviton.com/company/about-leviton/locations

© 2025 Leviton Manufacturing Co., Inc.