LED Slim Lights

MODEL DISC-RG2



Product Specification Sheet









HIGHLIGHTS

- 2" LED Slim Regress Downlight with durable aluminum body and interchangeable reflectors and trims (sold separately) for your option
- · Ideal for home use, office, store, supermarket, bars, cafe, exhibition space, halls, museum, hotel, restaurant, decoration lighting and more
- Depth is 2-3/8", and for the best Layout Depth Flexibility, it CANNOT be installed right under joists
- IC rated for direct contact with insulation, no housing required
- Compatible with industry standard TRIAC / ELV dimmers
- Easy and Fast Installation saves on labour
- Made of strong die-cast aluminum material

MOUNTING

- Cut hole in ceiling and snap fixture in Opening with attached spring clips
- Ceiling clearance required: > 3"

SPECIFICATIONS

Model	DISC-RG2		
Wattage	8W		
Voltage	120V		
Lumens	600 lmn		
Beam Angle	24°		
Lifetime	50000 hours		
Cutout	Ø 2-9/16" (65 mm)		
CRI	80		
Dimmable	Yes		
Rating	IC Rated, Indoor use, for Damp location		
Grade of Protection	IP 42		
Air Tight	Yes		
Application	Recessed ceiling / Halls / Home / Office / Store / Cafe		
Colour Temp.	3000K (Warm White) / 5000K (Cool White)		
Operating Temp.	ng Temp20°C ~ +40°C		

LED Slim Lights

MODEL DISC-RG2



Interchangeable Reflectors

(sold separately)



DISC2RG-RF-ALCH

Alzek Chrome



DISC2RG-RF-ALHZ

Alzek Haze



DISC2RG-RF-BFSN

Satin Nickel Baffle



DISC2RG-RF-BFWH

White Baffle



DISC2RG-RF-BFBK

Black Baffle

Interchangeable Rings (sold separately)



DISC2-RINGSH-WH

Shower Ring White



DISC2-RINGSH-BK

Shower Ring Black



DISC2-RINGOV-WH

Oval Ring White



DISC2-RINGOV-BK

Oval Ring Black



DISC2-RINGRS-WH

Small Round Ring White



DISC2-RINGRS-BK

Small Round Ring Black



DISC2-RING-WH

Regular Ring White



DISC2-RING-SN

Regular Ring Satin Nickel



DISC2-RING-BK

Regular Ring Black



DISC2-RINGSP-WH

Scoop Ring White



DISC2-RINGSP-BK

Scoop Ring Black

Accessories (sold separately)



PLATE2-HB

Mounting Plate for ORTECH 2" Slim Lights



PLATE26-2

New Construction Plate for ORTECH 2" Slim Lights



DMD-ELV


Single-pole 3 way dimmer




OT-SLIM 2/3

LED Driver for ORTECH 2" and 3" Slim Lights


DIMENSIONS




Universal LED Module




LED Module and Driver





Trim




Reflector











Wall Wash (Scoop Ring)



Slot Aperture (Oval Ring)



Pinhole (Small Round Ring)



Shower (Shower Ring)

Trim

Reference	QTY.	Remarks	Project:
			Location:
			Architect:
			Engineer:
			Contractor:
			Submitted by:
			Date: