



## ES2-SERIES LED RUNNING MAN (UDC / THERMOPLASTIC HOUSING)



Project	
Date	
Prepared by	
Model #	ES2-RM1PC2U-3

### OVERVIEW

The ES2-Series LED Running Man is constructed from durable corrosion and flame resistant thermoplastic. Powered with long life LED chips, they are the perfect choice for both new and retrofit projects.

### PRODUCT HIGHLIGHTS

- Universal input voltage from 120-347VAC and 6-24VDC
- Constructed of durable corrosion and flame resistant thermoplastic
- Even light output with a high uniformity
- 9.84 cd/m<sup>2</sup> high light output
- Includes 3 pictogram inserts
- Suitable for single and double-sided applications
- CSA listed for Canada & the US
- For use with DC power back-up systems

#### ELECTRICAL PARAMETERS

Input Voltage	120-347 VAC 50/60Hz & 6-24VDC	System Power	2W
---------------	-------------------------------	--------------	----

#### LIGHTING INFORMATION

Lamp Type	LED	Illuminating Surface Uniformity	79%
Lens Material	PVC	Luminance	9.84 cd/m <sup>2</sup>


#### EXTERNAL & MECHANICAL SPECIFICATIONS

Housing Material	Flame Retardant ABS	Material Grade	UL-94v0
Housing Color	White	Operation Temperature Range	5°C to 30°C / 40°F to 86°F
Dimension (inch/mm)	13.2" (W) x 9" (H) x 2" (D) 335mm (W) x 230mm (H) x 50mm (D)	Installation Method	Ceiling Mount, Flag Mount Wall Mount
Weight	1.43 kg / 3.16 lbs	Warranty	5 years


#### APPROVALS & LISTINGS

Safety Compliance	cCSAus	Safety Standards	CAN/CSA-C860-11 CSA C22.2 No. 141-15 CAN/CSA-C22.2 No. 250.13-14
File Number	272501	Approved Locations	Damp Locations

## PRODUCT DIMENSIONS



## MOUNTING DIAGRAM



## PICTOGRAMS INCLUDED



No Indicator



Left Indicator



Right Indicator

1. Due to the special conditions of manufacturing, the typical data of optical specifications can only reflect statistical figures and do not necessarily correspond to the actual parameters of each single product which could differ from the typical data.  
 2. Exceeding maximum ratings for input voltage and current will cause hazardous overload and will likely destroy the LED fixture.  
 3. Refer to Warranty Terms & Conditions available at [premiseled.com/warranty](http://premiseled.com/warranty)