

## ZENITH SERIES

### LED LINEAR HIGHBAY - (MULTI CCT/WATTAGE)


**ALL IN ONE**


OPTIONAL PLUG-IN  
MICROWAVE DIMMING SENSOR



SWITCH ON THE SIDE

#### DESCRIPTION

Reno Lighting's Zenith Series is the newest addition to our line of LED Highbay fixtures. With its modern and sleek design, it features a slim and light weight profile that will improve the aesthetics of any industrial, commercial or high ceiling retail facility.

#### APPLICATIONS

- Warehouse
- Commercial Building
- Industrial
- Retail Facility

#### FEATURES

- DLC Premium, Exceptional efficacy 150 LPW.
- Minimum glare with frosted PMMA lenses.
- 0-10V dimming control compatible
- Operating temperature: -20°C/-4°F to 50°C/122°F
- Dual Voltage 120-347V
- Shipped with V-Hooks, Chain & 10 FT. Cord
- LED chip lifetime: L70 > 70,000+ hours, CRI 80
- 10 year Limited warranty
- Multi CCT & Selectable Wattage

#### SPECIFICATION

| ORDER # | MODEL#                  | WATTS        | EFFICACY<br>(lm/w) | LUMENS OUTPUT       | VOLTS    | CCT               |
|---------|-------------------------|--------------|--------------------|---------------------|----------|-------------------|
| R34111  | RENO-LHB2-DV-MW-MCCT-R1 | 100/125/140W | 150lm/w            | 15000/18750/21000lm | 120-347V | 3500K/4000K/5000K |
| R34112  | RENO-LHB2-DV-MW-MCCT-R2 | 145/160/175W | 150lm/w            | 21750/24000/26250lm | 120-347V | 3500K/4000K/5000K |
| R34113  | RENO-LHB2-DV-MW-MCCT-R3 | 180/210/230W | 150lm/w            | 31500/34500/37800lm | 120-347V | 3500K/4000K/5000K |
| R34114  | RENO-LHB2-DV-MW-MCCT-R4 | 250/300/340W | 150lm/w            | 37500/45000/51000lm | 120-347V | 3500K/4000K/5000K |



Date:

Type:

Project Name:


Part Number:

## OPTIONAL ACCESSORIES


| IMAGE                                                                             | ORDER# | MODEL#              | DESCRIPTION                               |
|-----------------------------------------------------------------------------------|--------|---------------------|-------------------------------------------|
|  | R71002 | RENO-LHB-SENSOR     | Bi-Level Dim Sensor for Linear Highbay    |
|  | R73002 | RENO-LHB-CONTROLLER | Controller for Bi-Level Sensor            |
|  | R39301 | RENO-LHB-HPM        | Center Box for Pendant Mounting           |
|   | R39305 | RENO-LHB-CK-R1      | Connection Kit for ganging Highbays R1    |
|                                                                                   | R39306 | RENO-LHB-CK-R2/R3   | Connection Kit for ganging Highbays R2/R3 |
|  | R39303 | RENO-LHB-WG-R1      | Wire Guards for Linear Highbays R1        |
|                                                                                   | R39304 | RENO-LHB-WG-R2      | Wire Guards for Linear Highbays R2/R3     |

## DIMENSIONS


### ▪ R1 11 lbs




### ▪ R2 15 lbs



### ▪ R3 19 lbs



### ▪ R4 24 lbs



Date:



Type:

Project Name:



Part Number:

## LUMINOUS EMITTANCE



### ▪ R1 100W





### ▪ R1 125W





### ▪ R1 140W





### ▪ R2 145W



### ▪ R2 160W



### ▪ R2 175W



905-604-4666



info@renolighting.com



www.renolighting.com

Date:



Type:

Project Name:



Part Number:

## LUMINOUS EMITTANCE



### ▪ R3 180W





### ▪ R3 210W





### ▪ R3 230W





### ▪ R4 250W



### ▪ R4 300W



### ▪ R4 340W



905-604-4666



info@renolighting.com



www.renolighting.com