




STORY Series

LED Zoomable Cylinder Track Head Light



The STORY Series Zoomable Cylinder Track Head Light luminaire offers superior light output in a small, unobtrusive design. With customizable beam angles and adjustable heads, this light offers flexibility to highlight specific areas in any application. Ideal for accent and display lighting.



Product Features

- 120V TRIAC Dimming
- High quality cold-forged aluminum housing for better heat dissipation
- Compatible with H-Type track
- Luminaire arm is 180° tiltable and 350° rotation adjustable
- Zoomable degree adjustable from 20°-50° to meet different application needs
- Colours Available: Black & White
- Glass Lens
- Rated Lifetime L70(hrs): >50,000
- Operating temperature: -4°F to 149°F (-20°C to 65°C)

Key Specifications

Voltage	120V
Wattage	20W or 30W Models
Efficacy	90lm/w
CCT	27/30/35/40/5000K
CRI	>90
Lumens	1,800 lm (20W) or 2,7000 lm (30W)
Beam Angle	20°-50°
Housing Material	Cold-Forge Aluminum
Mounting	Halo Style 3-Wire Track
THD	<20%






STORY Series | Zoomable Cylinder Track Head Light

ARCHITECTURAL LUMINAIRES BY  RENO[™] LIGHTING

Specifications

Order#	Model	Voltage	Lumens	CCT	CRI	Mounting Type
R31311	RENO-TH20W-5CCT-ADJ-WH	20W	1,800 lm	27/30/35/40/5000K	>90	H-Type
R31312	RENO-TH20W-5CCT-ADJ-BK	20W	1,800 lm	27/30/35/40/5000K	>90	H-Type
R31313	RENO-TH30W-5CCT-ADJ-WH	30W	2,700 lm	27/30/35/40/5000K	>90	H-Type
R31314	RENO-TH30W-5CCT-ADJ-BK	30W	2,700 lm	27/30/35/40/5000K	>90	H-Type

Dimensions







STORY Series | Zoomable Cylinder Track Head Light

ARCHITECTURAL LUMINAIRES BY  **RENO**
LIGHTING

Accessories



Surface Track (Black) - 2ft, 4ft, 6ft, and 8ft



Surface Track (White) - 2ft, 4ft, 6ft, and 8ft



Live End Connector



End Feed Kit



Conduit Connector




"I" Connector



"L" Connector




"T" Connector



"X" Connector



Flexible Connector



Floating Canopy



Cable Kit

Order#	Model	Description
R31201	RENO-TKH-2FT-WH	Surface Track 2ft White
R31202	RENO-TKH-2FT-BK	Surface Track 2ft Black
R31203	RENO-TKH-4FT-WH	Surface Track 4ft White
R31204	RENO-TKH-4FT-BK	Surface Track 4ft Black
R31205	RENO-TKH-6FT-WH	Surface Track 6ft White
R31206	RENO-TKH-6FT-BK	Surface Track 6ft Black
R31207	RENO-TKH-8FT-WH	Surface Track 8ft White
R31208	RENO-TKH-8FT-BK	Surface Track 8ft Black

Order#	Model	Description
R31901	RENO-TKH-LEC-WH	Live End Connector White
R31902	RENO-TKH-LEC-BK	Live End Connector Black
R31903	RENO-TKH-EFK-WH	End Feed Kit White
R31904	RENO-TKH-EFK-BK	End Feed Kit Black
R31905	RENO-TKH-CC-WH	Conduit Connector White
R31906	RENO-TKH-CC-BK	Conduit Connector Black
R31907	RENO-TKH-MJ-WH	"I" Connector White
R31908	RENO-TKH-MJ-BK	"I" Connector Black
R31909	RENO-TKH-LC-WH	"L" Connector White
R31910	RENO-TKH-LC-BK	"L" Connector Black
R31911	RENO-TKH-TC-WH	"T" Connector White
R31912	RENO-TKH-TC-BK	"T" Connector Black
R31913	RENO-TKH-XC-WH	"X" Connector White
R31914	RENO-TKH-XC-BK	"X" Connector Black
R31915	RENO-TKH-FC-WH	Flexible Connector White
R31916	RENO-TKH-FC-BK	Flexible Connector Black
R31917	RENO-TKH-FCF-WH	Floating Canopy White
R31918	RENO-TKH-FCF-BK	Floating Canopy Black
R31919	RENO-TKH-CAB-WH	4M Cable White
R31920	RENO-TKH-CAB-BK	4M Cable Black






STORY Series | Zoomable Cylinder Track Head Light

ARCHITECTURAL LUMINAIRES BY  **RENO**
LIGHTING

Photometrics

LUMINOUS INTENSITY DISTRIBUTION



C0 / C180: — C90 / C270: —

Average Field Angle (50%): 46.5°

C0/180: 46.3°

C90/270: 46.6°

ILLUMINANCE AT A DISTANCE

