



BUILT IN
MICROWAVE SENSOR

HELIOS SERIES

WIDE WRAP AROUND MS



DESCRIPTION

The Helios series embraces a minimalist design while providing a wide array of features making this fixture adaptable to any indoor application. Utilize the colour and wattage selections built into the fixture to create the perfect look. Easy to install and built to last, this series is sure to impress.

FEATURES

- DLC Approved
- Built-in Microwave Sensor
- Dual Voltage 120-347V
- 0-10V Continuous Dimming
- Surface or Suspension Mounting options
- Easy and Safe Installation
- Frosted Polycarbonate Lens
- Rated Lifetime L70(hrs): >70,000
- Operation Temperature: -22°F to 122°F (-30°C to 50°C)
- Suitable for Damp Locations
- Includes Coverplate and V-Hangers
- CRI > 80
- 7 year warranty

APPLICATIONS



Corridors




Education Facilities



Low Bay Application



Multi-res/Retirement



THE MAXIMUM HEIGHT THIS FIXTURE CAN BE MOUNTED FOR OPTIMAL SENSOR FUNCTION IS 12-13FT. IF MOUNTED ABOVE THIS HEIGHT MOTION WILL NOT BE DETECTED AS PRECISELY



905-604-4666



info@renolighting.com



www.renolighting.com

REV. 05/15/24

Date:	Project Name:
Type:	Part Number:

SPECIFICATION

ORDER#	MODEL#	WATTS	VOLTAGE (V)	CCT (K)	SIZE	LUMENS	EFFICACY	CRI
R38022	RENO-WHWR4-MW-DV-MCCT-MS	30W	120-347V	3500K	4FT	3936 lm	131.2 lm/W	>80
		40W				5280 lm	132 lm/W	
		50W				6650 lm	133 lm/W	
		60W				8040 lm	134 lm/W	
		30W		4000K		4200 lm	140 lm/W	
		40W				5640 lm	141 lm/W	
		50W				7100 lm	142 lm/W	
		60W				8580 lm	143 lm/W	
		30W		5000K		5280 lm	132 lm/W	
		40W				6650 lm	133 lm/W	
		50W				8040 lm	134 lm/W	
		60W				8100 lm	135 lm/W	

DLC INFORMATION

ORDER#	MODEL#	APPLICATION	DLC	
			STANDARD	PREMIUM
R38021	RENO-WHWR4-MW-DV-MCCT	Low-Bay Luminaires for Commercial and Industrial Buildings	-	S-NWTSGP
		Direct Linear Ambient Luminaires	S-MTRPBQ	-
		Stairwell and Passageway Luminaires	-	S-17P43M

ACCESSORIES

ORDER#	MODEL#	DESCRIPTION
R83004	RENO-EM-C08	Emergency LED Driver



RENO-EM-C08

Date:	Project Name:
Type:	Part Number:

REMOTE OPTIONS

ORDER#	MODEL#	DESCRIPTION
R73002	RENO-REMOTE-H	Remote Control
R73005	RENO-REMOTE-H-ECO	ECO Remote Control



RENO-REMOTE-H



RENO-REMOTE-H-ECO

DIMENSIONS

4FT.

