





# S8443

F32T8/830/XL/ENV

32 watt; T8; Fluorescent; 3000K Warm White; 82 CRI; Medium Bi Pin base

## Features

- Long Life
- High Performance and Efficiency
- TCLP compliant
- Meets RoHS standards

## Hours:

3 hrs per start 36,000 - Instant Start Ballast  
12 hrs per start 42,000 - Instant Start Ballast

3 hrs per start 42,000 - Rapid Start / PRS Ballast  
12 hrs per start 48,000 - Rapid Start / PRS Ballast



S8443

| Item Number | Product Line | UPC          | Watts | Lamp Shape | Base          | ANSI Base | Lamp Code        |  |
|-------------|--------------|--------------|-------|------------|---------------|-----------|------------------|--|
| S8443       | HyGrade      | 045923084430 | 32    | T8         | Medium Bi-Pin | G13       | F32T8/830/XL/ENV |  |

| MOD In Inches | MOL In Inches | Nominal Length | Initial Lumens | Average Rated Hours | Kelvin Temp | Color      | Pack |
|---------------|---------------|----------------|----------------|---------------------|-------------|------------|------|
| 1.00"         | 47.78"        | 48"            | 3050           | 36000               | 3000        | Warm White | 30   |

| CRI | Hg Content | CEC Status                        | RoHS Compliant |
|-----|------------|-----------------------------------|----------------|
| 82  | 3.5 mg     | CEC:California Title 20 Qualified | Yes            |



National Toll-Free:  
800.43.SATCO  
(800.437.2826)  
[www.satco.com](http://www.satco.com)

Distribution Centers:  
New York, Florida, Texas,  
Washington, California,  
Puerto Rico

Corporate Offices:  
110 Heartland Blvd.,  
Brentwood, NY 11717  
800.437.2826 631.243.2022  
Fax 631.243.2027



©2012, Satco Products, Inc. Not responsible for typographical errors. 06/12 S1051