





# S9566

6.5G40/CL/LED/E26/27K/120V  
6.5 watt G40 LED; Clear; Medium base; 2700K; 810 lumens;  
120 volts

## Features

- LED with a traditional incandescent look and feel
- Omni-directional light source
- Smooth dimming
- Replaces up to 60 watt lamps
- Long life - 15,000 hours
- Damp Location
- UL listed for totally enclosed fixtures
- Shatterproof option available on request



S9566

| Item Number | UPC          | Voltage | Watts | Incandescent Equivalent | Power Factor | Lamp Shape | Base   |
|-------------|--------------|---------|-------|-------------------------|--------------|------------|--------|
| S9566       | 045923095665 | 120     | 6.5   | 60W                     | >0.70        | G40        | Medium |

| ANSI Base | Lamp Code                  | Dimmable/Non-Dimmable | Suggested Dimmers                            | Finish | MOL In Inches | MOD In Inches | Initial Lumens |
|-----------|----------------------------|-----------------------|----------------------------------------------|--------|---------------|---------------|----------------|
| E26       | 6.5G40/CL/LED/E26/27K/120V | Dimmable              | <a href="#">Compatible dimmers for S9566</a> | Clear  | 6-1/2"        | 4-7/8"        | 810            |

| Average Rated Hours | Kelvin Temp | Color      | CRI | Beam Spread Deg | Operating Temperature                   | Pack | Package Type |
|---------------------|-------------|------------|-----|-----------------|-----------------------------------------|------|--------------|
| 15000               | 2700        | Warm White | 80  | 360             | -20C (-4F) to a maximum of +45C (+113F) | 12/6 | Box          |

| CEC Status    | RoHS Compliant | UL or ETL Listed | UL Classification           | Warranty                       |
|---------------|----------------|------------------|-----------------------------|--------------------------------|
| Non-Compliant | Yes            | Yes              | cULus - Damp Location Rated | <a href="#">3 Year Limited</a> |



National Toll-Free:  
800.43.SATCO  
(800.437.2826)  
[www.satco.com](http://www.satco.com)

Distribution Centers:  
New York, Florida, Texas,  
Washington, California,  
Puerto Rico

Corporate Offices:  
110 Heartland Blvd.,  
Brentwood, NY 11717  
800.437.2826 631.243.2022  
Fax 631.243.2027



©2012, Satco Products, Inc. Not responsible for typographical errors. 06/12 S1051