

Item Number **4378800**

LED 25T5/46"/40 Direct Install

Specifications

- Energy Used (Watts): 25
- Brightness (Lumens): 3500
- Average Rated Hours: 50000
- Light Appearance (Kelvin): 4000
- Beam Spread: 185°
- CRI: 82
- Efficacy (LPW): 140
- Estimated Yearly Energy Cost**: \$3.01
- Package Type: Sleeve



Physical Characteristics

- Color Designation: Cool White
- Finish: Frost
- Housing Material: Glass
- Base: G5 (Mini BiPin)
- MOL: 46.00"
- MOD: 0.60"

Limited Warranty

5 Year

For full warranty information, please follow this link:

www.westinghouselighting.com/pdfs/warranty-cards/ESF-WH-COMMERCIAL.pdf



Warning

- Turn power off before inspection, installation, or removal.
- Risk of electric shock - Do not use where exposed to water or weather.
- Suitable for Damp Locations - The lamp is suitable for use in wet locations when used in an outdoor rated fixture.
- Not for use in totally enclosed fixtures.
- Do not open - no user serviceable parts inside.
- This device is not intended for use with emergency exit luminaires or emergency exit lights.
- This device complies with Part 15 of the FCC rules and has been tested and found to comply with the limits for a Class B digital device. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to the radio communication. Any changes or modifications not expressly approved by the manufacturer could avoid the user's authority to operate the equipment.

Specifications are subject to change without notice, please visit www.westinghouselighting.com for latest information.

 and Westinghouse are trademarks of Westinghouse Electric Corporation. Used under license by Westinghouse Lighting. All Rights Reserved.

** Based on 3hrs./day 11¢/kWh - Cost depends on rates and use.

2021

T5 LED Ballast Compatibility



Ballast Brand	Ballast Model #	Starting Method	# of Lamps Installed	Voltage	Status
EIKO	PM-2X54T5 UNV PS	PROGRAM START	1	120/277	Compatible
EIKO	PM-2X54T5 UNV PS	PROGRAM START	2	120/277	Compatible
EIKO	PM-4X54T5 UNV PS	PROGRAM START	3	120/277	Compatible
EIKO	PM-4X54T5 UNV PS	PROGRAM START	4	120/277	Compatible
ESPEN	VE254MVHRP	PROGRAM START	1	120/277	Compatible
ESPEN	VE254MVHRP	PROGRAM START	2	120/277	Compatible
ESPEN	VE254MVHRP(11101)	PROGRAM START	1	120	Compatible
ESPEN	VE254MVHRP(11101)	PROGRAM START	1	277	NOT Compatible
ESPEN	VE254MVHRP(11101)	PROGRAM START	2	120/277	Compatible
ESPEN	VE454MVHRP(11047)	PROGRAM START	3	120/277	Compatible
ESPEN	VE454MVHRP(11047)	PROGRAM START	4	120/277	Compatible
ESPEN	VE454MVHRP(11100)	PROGRAM START	3	120/277	Compatible
ESPEN	VE454MVHRP(11100)	PROGRAM START	4	120/277	Compatible
FULHAM	RHA-UNV-254-LT5	PROGRAM START	1	120/277	Compatible
FULHAM	RHA-UNV-254-LT5	PROGRAM START	2	120/277	Compatible
FULHAM	RHA-UNV-454-LT5	PROGRAM START	3	120/277	Compatible
FULHAM	RHA-UNV-454-LT5	PROGRAM START	4	120/277	Compatible
GENERAL ELECTRIC	GE254MVPS90-A	PROGRAM START	1	120/277	Compatible
GENERAL ELECTRIC	GE254MVPS90-A	PROGRAM START	2	120/277	Compatible
GENERAL ELECTRIC	GE254MVPS-D-1	PROGRAM START	1	120/277	Compatible
GENERAL ELECTRIC	GE254MVPS-D-1	PROGRAM START	2	120/277	Compatible
GENERAL ELECTRIC	GE254PS347/480-F	PROGRAM START	1	347/480	Compatible
GENERAL ELECTRIC	GE254PS347/480-F	PROGRAM START	2	347/480	Compatible
GENERAL ELECTRIC	GE454MVPS90-E-S	PROGRAM START	3	120/277	Compatible
GENERAL ELECTRIC	GE454MVPS90-E-S	PROGRAM START	4	120/277	Compatible
GENERAL ELECTRIC	GE454MVPS90-F	PROGRAM START	3	120/277	Compatible
GENERAL ELECTRIC	GE454MVPS90-F	PROGRAM START	4	120/277	Compatible
GENERAL ELECTRIC	GE454PS347/480-E	PROGRAM START	3	120/277	Compatible
GENERAL ELECTRIC	GE454PS347/480-E	PROGRAM START	4	120/277	Compatible
HOWARD INDUSTRIES	EP2/54HO/PRS/MV/W/MC	PROGRAM RAPID START	1	120/277	Compatible
HOWARD INDUSTRIES	EP2/54HO/PRS/MV/W/MC	PROGRAM RAPID START	2	120/277	Compatible
HOWARD INDUSTRIES	EP2/54HO/PRS/MV/W/SC	PROGRAM RAPID START	1	120/277	Compatible
HOWARD INDUSTRIES	EP2/54HO/PRS/MV/W/SC	PROGRAM RAPID START	2	120/277	Compatible
HOWARD INDUSTRIES	EP4/54HO/PRS/MV	PROGRAM RAPID START	3	120/277	Compatible
HOWARD INDUSTRIES	EP4/54HO/PRS/MV	PROGRAM RAPID START	4	120/277	Compatible
KEystone	KTEB-254HO-UV-PS-SL	PROGRAM START	1	120/277	Compatible
KEystone	KTEB-254HO-UV-PS-SL	PROGRAM START	2	120	Compatible
KEystone	KTEB-254HO-UV-PS-SL	PROGRAM START	2	277	NOT Compatible
KEystone	KTEB-254HO-UV-TP-PS	PROGRAM START	1	120/277	Compatible
KEystone	KTEB-254HO-UV-TP-PS	PROGRAM START	2	120/277	Compatible
KEystone	KTEB-454HO-UV-PS	PROGRAM START	3	120/277	Compatible
KEystone	KTEB-454HO-UV-PS	PROGRAM START	4	120/277	Compatible
LUMAPRO	4KGE7A EB-454PRS-U	PROGRAM START	3	120/277	Compatible
LUMAPRO	4KGE7A EB-454PRS-U	PROGRAM START	4	120/277	Compatible
MAXLITE	SKEU542HOP	PROGRAM START	1	120/277	Compatible
MAXLITE	SKEU542HOP	PROGRAM START	2	120/277	Compatible
OSRAM SYLVANIA	QHE 1x54T5HO/UNV DIM-TC	PROGRAM RAPID START	1	120/277	NOT Compatible
OSRAM SYLVANIA	QTP 1x54T5HO/UNV PSN	PROGRAM RAPID START	1	120/277	Compatible
OSRAM SYLVANIA	QHE 2x54T5HO/347-480 PSN HT MCL	PROGRAM RAPID START	1	347	NOT Compatible



T5 LED Ballast Compatibility



Ballast Brand	Ballast Model #	Starting Method	# of Lamps Installed	Voltage	Status
OSRAM SYLVANIA	QHE 2x54T5HO/347-480 PSN HT MCL	PROGRAM RAPID START	1	480	Compatible
OSRAM SYLVANIA	QHE 2x54T5HO/347-480 PSN HT MCL	PROGRAM RAPID START	2	347/480	Compatible
OSRAM SYLVANIA	QHE 2x54T5HO/UNV PSN	PROGRAM RAPID START	1	120/277	Compatible
OSRAM SYLVANIA	QHE 2x54T5HO/UNV PSN	PROGRAM RAPID START	2	120/277	Compatible
OSRAM SYLVANIA	QHE 2x54T5HO/UNV PSN HT	PROGRAM RAPID START	1	120/277	Compatible
OSRAM SYLVANIA	QHE 2x54T5HO/UNV PSN HT	PROGRAM RAPID START	2	120/277	Compatible
OSRAM SYLVANIA	QS 2x54T5HO/UNV PS80-SC	PROGRAM RAPID START	1	120/277	NOT Compatible
OSRAM SYLVANIA	QS 2x54T5HO/UNV PS80-SC	PROGRAM RAPID START	2	120/277	NOT Compatible
OSRAM SYLVANIA	QTP 2x54T5HO/347-480 PSN HT	PROGRAM RAPID START	1	347/480	Compatible
OSRAM SYLVANIA	QTP 2x54T5HO/347-480 PSN HT	PROGRAM RAPID START	2	347/480	Compatible
OSRAM SYLVANIA	QTP 2x54T5HO/UNV PSN HT	PROGRAM RAPID START	1	120/277	Compatible
OSRAM SYLVANIA	QTP 2x54T5HO/UNV PSN HT	PROGRAM RAPID START	2	120/277	Compatible
OSRAM SYLVANIA	QHE 4x54T5HO/UNV PSN HT SCL(DOE)	PROGRAM RAPID START	3	120/277	Compatible
OSRAM SYLVANIA	QHE 4x54T5HO/UNV PSN HT SCL(DOE)	PROGRAM RAPID START	4	120/277	Compatible
OSRAM SYLVANIA	QTP 4x54T5HO/UNV PSN HT W	PROGRAM RAPID START	3	120/277	Compatible
OSRAM SYLVANIA	QTP 4x54T5HO/UNV PSN HT W	PROGRAM RAPID START	4	120/277	Compatible
PHILIPS-ADVANCE	HCN-2S54-90C-WL	PROGRAM START	1	347/480	NOT Compatible
PHILIPS-ADVANCE	HCN-2S54-90C-WL	PROGRAM START	2	347/480	NOT Compatible
PHILIPS-ADVANCE	HCN-4S54-90C-2LS-G	PROGRAM START	3	347/480	NOT Compatible
PHILIPS-ADVANCE	HCN-4S54-90C-2LS-G	PROGRAM START	4	347/480	NOT Compatible
PHILIPS-ADVANCE	ICN-2S54-90C-N	PROGRAM START	1	120/277	Compatible
PHILIPS-ADVANCE	ICN-2S54-90C-N	PROGRAM START	2	120/277	Compatible
PHILIPS-ADVANCE	ICN-2S54-90C-T	PROGRAM START	1	120/277	Compatible
PHILIPS-ADVANCE	ICN-2S54-90C-T	PROGRAM START	2	120/277	Compatible
PHILIPS-ADVANCE	ICN-2S54-T	PROGRAM START	1	120/277	Compatible
PHILIPS-ADVANCE	ICN-2S54-T	PROGRAM START	2	120/277	Compatible
PHILIPS-ADVANCE	ICN-2S54-N	PROGRAM START	1	120/277	Compatible
PHILIPS-ADVANCE	ICN-2S54-N	PROGRAM START	2	120/277	Compatible
PHILIPS-ADVANCE	ICN-4S54-90C-2LS-G	PROGRAM START	3	120/277	Compatible
PHILIPS-ADVANCE	ICN-4S54-90C-2LS-G	PROGRAM START	4	120/277	Compatible
PHILIPS-ADVANCE	ICRP-4PSP54-90C	PROGRAM START	3	120/277	NOT Compatible
PHILIPS-ADVANCE	ICRP-4PSP54-90C	PROGRAM START	4	120/277	NOT Compatible
PLUSRITE	BAF254PS/MV	PROGRAM START	1	120/277	Compatible
PLUSRITE	BAF254PS/MV	PROGRAM START	2	120/277	Compatible
PLUSRITE	BAF454PS/MV	PROGRAM START	3	120/277	Compatible
PLUSRITE	BAF454PS/MV	PROGRAM START	4	120/277	Compatible
ROBERTSON	PSL254T5MV	PROGRAM START	1	120/277	Compatible
ROBERTSON	PSL254T5MV	PROGRAM START	2	120/277	Compatible
ROBERTSON	PST154T5MVW	PROGRAM START	1	120/277	Compatible
ROBERTSON	PSY454T5MV(3P20147)	PROGRAM START	3	120/277	Compatible
ROBERTSON	PSY454T5MV(3P20147)	PROGRAM START	4	120/277	Compatible
SUNPARK	U-2/54T5HO	PROGRAM START	1	120/277	Compatible
SUNPARK	U-2/54T5HO	PROGRAM START	2	120/277	Compatible
TCP	E2P54PRSUNVE	PROGRAM START	1	120/277	Compatible
TCP	E2P54PRSUNVE	PROGRAM START	2	120/277	Compatible
ULTRASAVE	ER254I20MHT-W	PROGRAM START	1	120/277	NOT Compatible
ULTRASAVE	ER254I20MHT-W	PROGRAM START	2	120/277	Compatible
UNIVERSAL LIGHTING TECHNOLOGIES	B254PUNV-D	PROGRAM START	1	120/277	Compatible
UNIVERSAL LIGHTING TECHNOLOGIES	B254PUNV-D	PROGRAM START	2	120/277	Compatible

T5 LED Ballast Compatibility



Ballast Brand	Ballast Model #	Starting Method	# of Lamps Installed	Voltage	Status
UNIVERSAL LIGHTING TECHNOLOGIES	B254PUNVHB-D	PROGRAM START	1	120/277	Compatible
UNIVERSAL LIGHTING TECHNOLOGIES	B254PUNVHB-D	PROGRAM START	2	120/277	Compatible
UNIVERSAL LIGHTING TECHNOLOGIES	B454PUNV-E	PROGRAM RAPID START	3	120/277	Compatible
UNIVERSAL LIGHTING TECHNOLOGIES	B454PUNV-E	PROGRAM RAPID START	4	120/277	Compatible
UNIVERSAL LIGHTING TECHNOLOGIES	B454PUNVHB-E	PROGRAM RAPID START	3	120/277	Compatible
UNIVERSAL LIGHTING TECHNOLOGIES	B454PUNVHB-E	PROGRAM RAPID START	4	120/277	Compatible
WATRAN	DB-254HO-MV-TP-PS-SL	PROGRAM START	1	120/277	Compatible
WATRAN	DB-254HO-MV-TP-PS-SL	PROGRAM START	2	120/277	Compatible
WATRAN	DB-4M54-PS-MV-90	PROGRAM START	3	120/277	Compatible
WATRAN	DB-4M54-PS-MV-90	PROGRAM START	4	120/277	Compatible

Specifications are subject to change without notice, please visit www.westinghouselighting.com for latest information.

® and Westinghouse are trademarks of Westinghouse Electric Corporation.
Used under license by Westinghouse Lighting. All Rights Reserved.